




Tables

Alkaen 1.7.2025



Semu table with metal table top	Semu table with melamine (MFC) table top	Semu table with Fenix table top
SEMU TABLE M	SEMU TABLE MFC	SEMU TABLE FENIX
- Fixed table top, soft triangle - Table top made of powder-coated steel, thickness 3 mm - Table top height 645 mm - Columnar two-star, fixed - Base foot: V-foot - Plastic glides	- Fixed table top, soft triangle - Table top made of melamine faced chipboard, thickness 18 mm - Table top height 655 mm - Columnar two-star, fixed - Base foot: V-foot - Plastic glides	- Fixed table top, soft triangle - Table top made of plywood covered with Fenix, thickness 12 mm - Table top height 650 mm - Columnar two-star, fixed - Base foot: V-foot - Plastic glides

W507	Table top width (mm)	507	507	507
D565	Table top depth (mm)	565	565	565
		Basic price (EUR) according to table top finish		
Powder-coated steel		394	—	—
Melamine (MFC)		—	371	
Fenix NTM®				—




	Table top finish			
③	Powder-coated steel	•	—	—
①/②	Melamine (MFC)	—	•	
①	Fenix NTM®		—	•
		Base finish		
BC-③	Powder-coated steel	•	•	•
		Glides		
GD	Plastic	•	•	•

Assembly

PACK-ASM

Assembled, cardboard packaging

Tables



Semu table with metal table top, with height adjustment

Semu table with melamine (MFC) table top, with height adjustment

Semu table with Fenix table top, with height adjustment

SEMU TABLE MA M

SEMU TABLE MA MFC

SEMU TABLE MA FENIX

- Fixed table top, soft triangle
- Table top made of powder-coated steel, thickness 3 mm
- Table top height 550–740 mm
- Two-star column base, with manual height adjustment
- Base foot: V-foot
- Plastic glides

- Fixed table top, soft triangle
- Table top made of melamine faced chipboard, thickness 18 mm
- Table top height 560–750 mm
- Two-star column base, with manual height adjustment
- Base foot: V-foot
- Plastic glides

- Fixed table top, soft triangle
- Table top made of plywood covered with Fenix, thickness 12 mm
- Table top height 555–745 mm
- Two-star column base, with manual height adjustment
- Base foot: V-foot
- Plastic glides

W507	Table top width (mm)	507	507	507
D565	Table top depth (mm)	565	565	565

Basic price (EUR) according to table top finish

Powder-coated steel	479	—	—
Melamine (MFC)	—	459	—
Fenix NTM®	—	—	655

	Table top finish			
③	Powder-coated steel	•	—	—
①/②	Melamine (MFC)	—	•	—
①	Fenix NTM®	—	—	•
	Edge:	2 mm – glue technology		
		no edge (visible plywood structure)		
	Base finish			
BC-③	Powder-coated steel	•	•	•
	Glides			
GD	Plastic	•	•	•

Assembly

PACK-ASM

Assembled, cardboard packaging

Technical description

1. Tables

1.1. Table top

Fixed table tops, soft triangle – finish options:

- metal – made of powder-coated steel, thickness 3 mm, equipped with a sound-proofing layer between top and base,
- melamine (MFC) – made of melamine faced chipboard (MFC), thickness 18 mm, 2 mm edge in glue technology,
- Fenix NTM – made of beech plywood, thickness 12 mm, top part covered with FENIX NTM laminate, bottom part covered with grey anti-resilient laminate, edges protected with wax, visible plywood structure.

1.2. Two-star column base

1.2.1. Base with fixed height

Column – fixed, made of steel tube, diameter 40 mm.

Base foot – V-foot, made of steel, thickness 12 mm.

Base upper plate – made of metal sheet.

Finish options:

- entire base (column, foot and upper plate) powder-coated in the same colour.

Fixed height:

- 645 mm – table with metal table top,
- 655 mm – table with melamine table top (MFC), thickness 18 mm,
- 650 mm – table with Fenix table top.

Universal grey plastic glides.

1.2.2. Base with manual height adjustment

Column – two-segment, made of steel tube, diameter Ø 40 mm and Ø 30 mm.

Base foot – V-foot, made of steel, thickness 12 mm.

Base upper plate – made of metal sheet.

Finish options:

- column outer part, foot and upper plate powder-coated in the same colour,
- column inner part and adjustment handle powder-coated in black colour Jet Black (RAL 9005).

Height:

- 550–740 mm – table with metal table top,
 - 560–750 mm – table with melamine table top (MFC),
 - 555–745 mm – table with Fenix table top.
- Universal grey plastic glides.


1.3. Assembly and packaging

Unassembled, cardboard packaging (PACK-UA)


Assembled, cardboard packaging (PACK-ASM)

1.4. Product range

Bases



Columnar two-star, fixed



Columnar two-star, manual height adjustment

Table tops

