Cassa

päivitetty 8.5.2023



426

444

Ī	C01	Mechanism									
PST45-BL		Swivel mechanism with height adjustment			•	•	_				
MP	P13	Swivel			_	_	•				
	C04	Armrests									
		No armrests • •									
GTP	P-62	Fixed armrests, bl	ack polyamide		+37	+37	_				
	C09	Backrest finish									
BA-	.4	Plastic			•	•	•				
	C10	Finish									
		Seat	Seat cover a	nd backrest connector							
SE-(4	4)/B	Plastic	Black plastic		•	•	•				
SE-4)/GR		Grey plastic		0	0	0				
	C12	Gas lift									
		Seat height adjust	ment in range	of 390 mm – 520 mm	•	_	_				
GL-S	STD	Seat height adjust	ment in range	of 590 mm – 815 mm	_	•	_				
	C13	Base			'		<u> </u>				
TS	25	Ø 710 mm five-star			•	•	_				
TS	37	Ø 676 mm four-star		Black polyamide	_	_	•				
	C14	Glides / Castors		,							
G	iB	Plastic glides		for soft floors	_	•	_				
GD-S	SPHF	Plastic glides		for soft floors (with felt as an option for hard floors)	_	_	•				
SH	150	Ø 50 mm, self-braking castors		for soft floors	•	_	_				
SHF	150			for hard floors	0	_	_				
KSH	150	Ø 50 mm, load-brake castors		for soft floors	_	+29	_				
KSHI	H50			for hard floors	_	+29	_				
	C19	Assembly / Packag	ging								
PACK-	-ASM	Assembled, cardboard packaging			_	_	•				
PAC	CK-A	Partially assembled, cardboard packaging			•	•	_				
		CASSA SPECIAL SWIVEL CHAIR 5A (PST45-BL GTP-62 BA-GR SE-RD/B GL-STD TS25 SH50 PACK-A)									

CASSA SPECIAL SWIVEL CHAIR 5A RB (PST45-BL GTP-62 BA-GR SE-RD/GR GL-STD TS25 GB PACK-A)

CASSA SPECIAL SWIVEL CHAIR 4S (MP13 BA-GR SE-RD/B TS37 GD-SPHF PACK-ASM)

374

- 4 Please specify plastic colour code see finishes
- Available as standard (included in basic price)

Sample order

O Available as an option (included in basic price)

Technical description

1. Dimensions / Weight







CASSA SPECIAL **SWIVEL CHAIR 5A RB**



CASSA SPECIAL **SWIVEL CHAIR 4S**

Measuring standard on page 1	Dimensions (mm)										Weight (kg)					
Model	A	A1	В	С	D	E	F	G	н	J	К	L	ı	М	N	(0,
CASSA SPECIAL SWIVEL	390-520	380-510	440	455	460	820-945	420	320	430	710	710	644	_	_	_	8,6
CASSA SPECIAL SWIVEL CHAIR 5A RB	590-815	570-795	440	455	460	1000-1250	420	320	430	710	710	694	_	_	_	10,2
CASSA SPECIAL SWIVEL	425	_	440	455	460	850	420	320	430	_	676	676	_	_	_	6,8

A - Seat height

A1 - Seat height according to standard EN

B – Seat depth

C - Seat surface depthD - Seat width

Overall height

Backrest width

G – Backrest length

H - Backrest heightJ - Base diameter

K - Base width

L - Overall depth

I – Headrest height (above the backrest)

M - Headrest widthN - Headrest height

Measuring standard on page	standard on page 1 (mm)									
Armrests	Z	Y	х	w	v					
GTP62	240	235	75	470	620	1,2				

Z - Armrest heightY - Armrest length

X - Armrest widthW - Internal width between armrests

V - External width between armrests

Technical description

2. Materials / Versions

2.1. Base

Bases:

- Ø 710 mm five-star black polyamide (TS25),
- Ø 676 mm four-star black polyamide (TS37).
 Footrest ring base Ø 456 mm, made of black glass fiber reinforced polyamide (PA + GF).
 Height adjustable with a knob.

2.2. Castors / Glides

2.2.1. Special swivel chairs

Ø 50 mm black plastic self-braking castors for soft floors (SH50) as standard, or hard floors (SHH50) as an option – applies to TS25 base. Glides for soft floors, with felt option for hard floors (GD-SPHF) – applies to TS37 base.

2.2.2. Special swivel chair with footrest

Glides for soft floors (GB) as standard. Ø 50 mm load-brake castors for soft floors (KSH) or hard floors (KSHH) – both as an option.

2.3. Mechanisms

<u>PST45-BL swivel mechanism with height adjustment</u> – applies to TS25 base.

 $\underline{\text{MP13 swivel mechanism}} - \text{applies to TS37 base}.$

2.4. Seat, backrest

Seat with cover

Seat cover integrated with backrest connector, made of glass fiber reinforced polyamide (PA + GF) in black or grey colour.
Seat made of glass fiber reinforced polypropylene (PP + GF) in black, grey, red or blue colour.

Backrest

Backrest made of glass fiber reinforced polypropylene (PP + GF) in black, grey, red or blue colour.

3. Armrests

<u>Fixed armrests</u> – made of black glass fiber reinforced polyamide (PA + GF) applies to TS25 base.

4. Packaging

Special swivel chair with five-star base

Partially assembled, cardboard packaging (PACK-A), 1 piece per box, 8 pieces on pallet. The box contains 4 separate elements:

- seat with assembled mechanism and backrest,
- armrests,
- base with assembled castors,
- pneumatic gas lift.

Special swivel chair with five-star base and footrest

<u>Partially assembled, cardboard packaging</u> (PACK-A), 1 piece per box, 8 pieces on pallet. The box contains 5 separate elements:

- seat with assembled mechanism and backrest,
- base with assembled glides,
- armrests,
- pneumatic gas lift,
- footrest.

Special swivel chair with four-star base

Assembled, cardboard packaging (PACK-ASM), 1 piece per box, 8 pieces on pallet.

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Approval compliant with EN 1335 - pending.