







päivitetty 8.5.2023

Model	Description	Basic price (Euro)					
		Upholstery price group					
		0	1	2	3	4	5
<b>INTRATA O-11 FS</b>  	Office operative chair with low upholstered backrest and seat with black plastic covers, no armrests (RTS), synchronous mechanism (FS), Ø 710 mm five-star black polyamide base (TS25), Ø 50 mm castors for soft floors (SH).	384	401	421	439	460	512
<b>INTRATA O-11 RB FS</b>  	Office operative chair with low upholstered backrest and seat with black plastic covers, no armrests (RTS), synchronous mechanism (FS), Ø 710 mm five-star black polyamide base (TS25), ring base made of steel powder-coated in Jet black RAL 9005 colour (RBBL), Ø 50 mm load-brake castors for soft floors (KSH).	443	460	477	497	519	576
<b>INTRATA O-12 FS</b>  	Office operative chair with high upholstered backrest and seat with black plastic covers, no armrests (RTS), synchronous mechanism (FS), Ø 710 mm five-star black polyamide base (TS25), Ø 50 mm castors for soft floors (SH).	397	413	443	459	489	544
<b>INTRATA O-12 RB FS</b>  	Office operative chair with high upholstered backrest and seat with black plastic covers, no armrests (RTS), synchronous mechanism (FS), Ø 710 mm five-star black polyamide base (TS25), ring base made of steel powder-coated in Jet black RAL 9005 colour (RBBL), Ø 50 mm load-brake castors for soft floors (KSH).	453	471	503	516	547	600
<b>INTRATA O-13 FS</b>  	Office operative chair with high mesh backrest and upholstered seat with black plastic cover, no armrests (RTS), synchronous mechanism (FS), Ø 710 mm five-star black polyamide base (TS25), Ø 50 mm castors for soft floors (SH).	404	421	430	441	451	477
<b>INTRATA O-14 FS</b>  	Office operative chair with high backrest upholstered in black Runner 3D fabric and upholstered seat with black plastic cover, no armrests (RTS), synchronous mechanism (FS), Ø 710 mm five-star black polyamide base (TS25), Ø 50 mm castors for soft floors (SH).	421	440	450	460	470	500

PRICE GROUP 0: Basic, Micro, Oban, Imitation leather

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Ofum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Runner, Silvertex, Step, Step Melange, Split leather (SP)





PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Fine Leather (LE), Fine Leather (SD), Remix 3

MESH: OP mesh



## PRICE LIST – SWIVEL CHAIRS

Model	Description	Basic price (Euro)					
		Upholstery price group					
		0	1	2	3	4	5
<b>INTRATA M-21 FS</b>  	Office managerial swivel chair with low upholstered backrest and seat with black plastic covers, lumbar support, no armrests (RTS), synchronous mechanism (FS), Ø 710 mm five-star black polyamide base (TS25), Ø 50 mm castors for soft floors (SH).	454	473	504	522	580	639
<b>INTRATA M-22 FS</b>  	Office managerial swivel chair with high upholstered backrest and seat with black plastic covers, lumbar support, no armrests (RTS), synchronous mechanism (FS), Ø 710 mm five-star black polyamide base (TS25), Ø 50 mm castors for soft floors (SH).	473	494	527	549	607	676
<b>INTRATA M-23 LU2-BL FS</b>  	Office managerial swivel chair with high mesh backrest, lumbar support (LU2-BL) and upholstered seat with black plastic cover, no armrests (RTS), synchronous mechanism (FS), Ø 710 mm five-star black polyamide base (TS25), Ø 50 mm castors for soft floors (SH).	529	550	564	579	600	645
<b>INTRATA M-24 FS</b>  	Office managerial swivel chair with high backrest upholstered in black Runner 3D fabric, upholstered seat with black plastic cover, no armrests (RTS), no lumbar support, synchronous mechanism (FS), Ø 710 mm five-star black polyamide base (TS25), Ø 50 mm castors for soft floors (SH).	477	500	512	522	549	592

PRICE GROUP 0: Basic, Micro, Oban, Imitation leather

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Ofum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Runner, Silvertex, Step, Step Melange, Split leather (SP)

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Fine Leather (LE), Fine Leather (SD), Remix 3

MESH: OP mesh

Options		Code	Surcharge
Headrest – fixed, plastic (applicable to Intrata O-12 and O-13 versions)		<a href="#">HR</a>	<b>57</b>
Headrest – fixed, one side upholstered (applicable to Intrata O-12 and O-13 versions)	Fabric	<a href="#">HRU</a>	<b>74</b>
	Leather		<b>104</b>
Headrest – upholstered, with height and tilt adjustment with black headrest supporting element (applicable to Intrata O-12, O-13, O-14 and Intrata M-22, M-23, M-24 versions)	Fabric	<a href="#">HRUA</a>	<b>83</b>
	Leather		<b>113</b>
Mesh (other colours)		<a href="#">OP</a>	<b>10</b>
Backrest frame chromium plated – applicable to mesh version		<a href="#">OP.CR</a>	<b>19</b>
Lumbar support – manual, with height adjustment, black supporting element (applicable to O-13, O-14, M-24 versions)		<a href="#">LU2-BL</a>	<b>76</b>
Lumbar support – manual, with height adjustment, chromium plated supporting element (applicable to O-13, O-14, M-24 versions and OP.CR option)		<a href="#">LU2-CR</a>	<b>100</b>
Lumbar support – manual, with height adjustment, chromium plated supporting element (applicable to M-23 version and OP.CR option)		<a href="#">LU2-CR</a>	<b>100</b>
Height adjustable armrests with soft polyurethane (PU) pads		<a href="#">R20I</a>	<b>64</b>
3-D armrests with soft polyurethane (PU) pads (not applicable to RB version)		<a href="#">R32R</a>	<b>120</b>
Synchronous mechanism with seat depth adjustment (not applicable to RB version)		<a href="#">FST</a>	<b>33</b>
Synchronous mechanism (not applicable to RB version)		<a href="#">ESP</a>	<b>54</b>
Synchronous mechanism with seat depth adjustment (not applicable to RB version)		<a href="#">ESPT</a>	<b>100</b>
Synchronous mechanism with seat depth adjustment and negative seat inclination (not applicable to RB version)		<a href="#">ESPTN</a>	<b>120</b>
Base – Ø 700 mm five-star aluminium powder-coated in White aluminium RAL 9006 colour		<a href="#">ST44-ALU</a>	<b>76</b>
Base – Ø 700 mm five-star polished aluminium with chrome effect		<a href="#">ST44-POL</a>	<b>76</b>
Ring base made of steel powder-coated in White aluminium RAL 9006 colour (applicable to O-11 RB, O-12 RB versions)		<a href="#">RBALU</a>	<b>0</b>
Ring base made of steel chromium plated (applicable to O-11 RB, O-12 RB versions)		<a href="#">RBCR</a>	<b>64</b>
Castors – Ø 50 mm for hard floors		<a href="#">SHH</a>	<b>0</b>
Castors – Ø 65 mm for soft floors		<a href="#">ESH</a>	<b>36</b>
Castors – Ø 65 mm for hard floors		<a href="#">ESHH</a>	<b>36</b>
Castors – Ø 50 mm load-brake castors for hard floors (applicable to Intrata O11 RB and O12 RB version)		<a href="#">KSHH</a>	<b>0</b>
Partially assembled		<a href="#">LSHAPE</a>	<b>71</b>

**Manager (M)** – structure is made of 7-layer plywood, thickness 10.5 mm, covered with fire-retardant profiled polyurethane, injected foam. Seat cover is made of polypropylene (PP), depending on the selected colour version. Stitching on the seat to eliminate excessive upholstery stretching.

#### Backrest

**Operative upholstered (O-11, O-12)** – structure is made of 6-layer plywood, thickness 9 mm, covered with cut foam, thickness 35 mm, density 35 kg/m<sup>3</sup>. Backrest cover is made of black polypropylene (PP).

**Operative mesh (O-13, O-14)** – frame is made of steel tube Ø 22 × 1.5 mm powder-coated in black colour as standard (OP.BL), or chromium plated as an option. Upper part of backrest frame is made of metal plate, thickness 4 mm.

Finish options:

- OP mesh (black colour as standard) – for O-13 version,
- Runner 3D fabric – for O-14 version.

**Manual lumbar support (LU2)** – made of 80 × 2.7 mm supporting steel element powder-coated in Jet black RAL9005 (BL) colour as standard, or chromium plated as an option. Cushion is made of 6-layer plywood, thickness 4.5 mm, covered with foam, thickness 15 mm, density 40 kg/m<sup>3</sup> in front part, and thickness 10 mm, density 40 kg/m<sup>3</sup> at the back part. Height adjustment in range of 70 mm.

**Manager upholstered (M-21, M-22)** – structure is made of 6-layer plywood, thickness 9 mm, covered with fire-retardant, injected polyurethane foam at front part and partially at back part of backrest. Backrest cover is made of black polypropylene (PP), with height adjustable lumbar support integrated with backrest cover as standard – adjustment range 55 mm.

**Manager mesh (M-23, M-24)** – frame is made of steel tube Ø 22 × 1.5 mm powder-coated in Jet black RAL 9005 (BL) colour as standard (OP.BL), or chromium plated as an option. Upper part of backrest frame is made of metal plate, thickness 4 mm.

Finish options:

- OP mesh (black colour as standard) – for M-23 version,
- Runner 3D fabric – for M-24 version.

**Manual lumbar support (LU2)** – made of 80 × 2.7 mm supporting steel element powder-coated in black colour as standard, or chromium plated as an option. Cushion is made of 6-layer plywood, thickness 4.5 mm, covered with foam, thickness 15 mm, density 40 kg/m<sup>3</sup> in front part, and thickness 10 mm, density 40 kg/m<sup>3</sup> at the back part. Height adjustment in range of 70 mm.

#### Headrest

**Fixed (HR)** – made of black polypropylene (PP) – applicable to O-12, O-13 versions.

**Fixed one side upholstered (HRU)** – back part made of black polypropylene (PP), covered with cut foam thickness 10 mm, density 35 kg/m<sup>3</sup>, one side upholstered – applicable to O-12, O-13 versions, always in the same upholstery type and colour as seat.

**Adjustable, fully upholstered (HRUA, HRUA-W)** – structure is made of 6-layer plywood, thickness 4.5 mm, covered with injected foam, both sides upholstered, always in the same upholstery type and colour as seat. Headrest supporting element is made of glass fiber reinforced polyamide (PA + GF), in black colour as standard. Height adjustment in range of 60 mm and tilt adjustment.

#### 2.4.2. Conference frame chairs

##### Seat

Structure is made of 5-layer plywood, thickness 6 mm, covered with cut foam, thickness 35 mm, density 40 kg/m<sup>3</sup>. Seat cover is made of black polypropylene (PP) as standard.

##### Backrest

**Upholstered backrest** – structure is made of 5-layer plywood, thickness 7.5 mm, covered with cut foam, thickness 35 mm, density 35 kg/m<sup>3</sup>. Backrest cover is made of black polypropylene (PP) as standard.

**Mesh backrest** – frame is made of steel tube Ø 22 × 2.5 mm powder-coated in Jet black RAL 9005 (BL) colour as standard, or in White aluminium RAL 9006 (ALU), Traffic white RAL 9016 (W) colour or chromium plated CR, according to selected chair colour concept, as an option. Upper part of backrest frame is made of metal plate, thickness 4 mm.

Finish options:

- OP mesh (black colour as standard) – for V-32 version,
- Runner 3D fabric – for V-34 version.

### 3. Armrests

#### 3.1. Office swivel chairs

**Height adjustable armrests** – made of glass fiber reinforced polyamide (PA + GF) with black soft polyurethane (PU) pads. Adjustment range of the armrests: height 70 mm.

**3-D armrests** – made of chromium plated steel and glass fiber reinforced polyamide (PA + GF) with black soft polyurethane (PU) pads. Adjustment range of the armrests: height 80 mm, side movement of the armrests 40 mm, forward/backward movement of the pad 60 mm.

#### 3.2. Conference frame chairs

**Fixed armrests** – integrated with chair frame, armrest pads made of black polypropylene (PP).

### 4. Packaging

**Office swivel chairs:**

- 1 piece per box (unassembled – as standard), 10 pieces on pallet,
- 1 piece per box (partially assembled packed in L-shape box – as an option), 6 pieces on pallet (chair without headrest) or 5 pieces on pallet (chair with headrest).

**Conference frame chair:**

- 2 pieces per box (assembled), 8 boxes on pallet.

### 5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

**Swivel chair:**

- GS safety certificate
- PN-EN 1335
- Office Excellence Quality Certificate.

**Conference chair:**

- GS safety certificate
- Remodex (durability certificate) - approvals compliant with: PN-EN: 16139; 1728,1022.
- Office Excellence Quality Certificate.

## 6. Sample order

### 6.1. Office swivel chairs

Product line	1	2	3	4	5	6	7		8	
INTRATA-	O-12	HRUA-	TS25-	R32R-	FS-	CUZ67	ESH	(	LSHAPE	)

INTRATA-O-12HRUA-TS25-R32R-FS-CUZ67-ESH (LSHAPE)

- 1 – Version
- 2 – Headrest
- 3 – Base
- 4 – Armrests

- 5 – Mechanism
- 6 – Seat, backrest and headrest – upholstery colour code

- 7 – Castors
- 8 – Packaging

INTRATA-O-12HRUA-TS25-R32R-FS-CUZ67-ESH (LSHAPE) identifies the chair as:

INTRATA office swivel chair, black plastic elements (BL), operative version with upholstered seat and backrest with plastic cover (O-12), upholstered headrest (HRUA), Ø 710 mm black polyamide base (TS25), 3-D armrests with soft polyurethane (PU) pads (R32R), synchronous mechanism (FS), seat, backrest and headrest upholstered in Blazer fabric (CUZ67), Ø 65 mm castors for soft floors (ESH), partially assembled (LSHAPE).