


Meeting table

päivitetty 8.5.2023



MeeThink meeting table, round table top


MEETHINK TABLE RD

- One-column base
- Vertical cable management inside table column

DI••••	Diameter (mm)	600	800	1000	1200
		Basic price (Euro)			
Melamine faced chipboard (MFC)		416	533	714	863
Laminate		502	640	855	1027
D04	Table top finish				
①/②	Melamine faced chipboard (MFC)	2 mm edge in glue technology	●		
①/L-②		2 mm laser edge	+59		
①/②	Laminate	2 mm edge in glue technology	○		
D04a	Table top thickness				
TT-25	25 mm	●			
D07	Media				
	No grommets / no media ports		●		
QC-④	ø80 mm plastic grommet		–	○	
YI•••	Media port PIX 1M ø60 mm		See media ports configuration matrix		–
YB•••	Media port Pluto 1M		–	See media ports configuration matrix	
D11	Column shape				
SC-RD	Round	●			
D12	Height				
H450	450 mm	●			
H550	550 mm	+26			
H740	740 mm	+35			
H1050	1050 mm	+46		–	
D14	Base finish				
BC-③	Powder-coated steel		●		
D15	Bottom base plate shape				
BX-RD	Round	●			
Sample order	MEETHINK TABLE RD (DI600 BI/BI TT-25 SC-RD H450 BC-BL BX-RD)				

- ① – Please specify colour code for MFC or laminate – [see finishes](#)
 ② – Please specify table top edge finish – [see matrix of table top finishes combinations](#)
 ③ – Please specify metal elements finish – [see finishes](#)
 ④ – Please specify plastic elements finish – [see finishes](#)
 ● Available as standard (included in basic price)
 ○ Available as an option (included in basic price)

Meeting table



MeeThink meeting table, square table top


MEETHINK TABLE SQ

- One-column base
- Vertical cable management inside table column

W****	Width (mm)	600	800	1000
D****	Depth (mm)	600	800	1000
		Basic price (Euro)		
	Melamine faced chipboard (MFC)	387	518	658
	Laminate	470	625	788
D04	Table top finish			
①/②	Melamine faced chipboard (MFC)	2 mm edge in glue technology	●	
①/L-②		2 mm laser edge	+59	
①/②	Laminate	2 mm edge in glue technology	○	
D04a	Table top thickness			
TT-25	25 mm	●		
D07	Media			
	No grommets / no media ports		●	
QC-④	ø80 mm plastic grommet		–	○
YI****	Media port PIX 1M ø60 mm		See media ports configuration matrix	
YB****	Media port Pluto 1M		–	See media ports configuration matrix
D11	Column shape			
SC-RD	Round	●		
D12	Height			
H450	450 mm	●		
H550	550 mm	+26		
H740	740 mm	+35		
H1050	1050 mm	+46		
D14	Base finish			
BC-③	Powder-coated steel	●		
D15	Bottom base plate shape			
BX-SQ	Square	●		
Sample order	MEETHINK TABLE SQ (W600 D600 BI/BI TT-25 SC-RD H450 BC-BL BX-SQ)			

- ① – Please specify colour code for MFC or laminate – [see finishes](#)
 ② – Please specify table top edge finish – [see matrix of table top finishes combinations](#)
 ③ – Please specify metal elements finish – [see finishes](#)
 ④ – Please specify plastic elements finish – [see finishes](#)
 ● Available as standard (included in basic price)
 ○ Available as an option (included in basic price)

Meeting table



MeeThink meeting table, soft square with rounded edges table top


MEETHINK TABLE SQR

- One-column base
- Vertical cable management inside table column

W••••	Width (mm)	700	900	1100
D••••	Depth (mm)	700	900	1100
		Basic price (Euro)		
	Melamine faced chipboard (MFC)	471	588	794
	Laminate	576	712	961
D04	Table top finish			
①/②	Melamine faced chipboard (MFC)	2 mm edge in glue technology	•	
①/L-②		2 mm laser edge	+59	
①/②	Laminate	2 mm edge in glue technology	○	
D04a	Table top thickness			
TT-25	25 mm	•		
D07	Media			
	No grommets / no media ports		•	
QC-④	ø80 mm plastic grommet		-	○
YI•••	Media port PIX 1M ø60 mm		See media ports configuration matrix	
YB•••	Media port Pluto 1M		-	See media ports configuration matrix
D11	Column shape			
SC-RD	Round	•		
D12	Height			
H450	450 mm	•		
H550	550 mm	+26		
H740	740 mm	+35		
H1050	1050 mm	+59	-	
D14	Base finish			
BC-③	Powder-coated steel		•	
D15	Bottom base plate shape			
BX-SQR	Soft square with rounded edges		•	
Sample order	MEETHINK TABLE SQR (W700 D700 BI/BI TT-25 SC-RD H450 BC-BL BX-SQR)			

- ① – Please specify colour code for MFC or laminate – [see finishes](#)
- ② – Please specify table top edge finish – [see matrix of table top finishes combinations](#)
- ③ – Please specify metal elements finish – [see finishes](#)
- ④ – Please specify plastic elements finish – [see finishes](#)
- Available as standard (included in basic price)
- Available as an option (included in basic price)

Meeting table



MeeThink meeting table, rectangular table top


MEETHINK TABLE RC

- Two-column base

W****	Width (mm)	1600	1800	2000	2200
D****	Depth (mm)	800		1000	1100
Basic price (Euro)					
	Melamine faced chipboard (MFC)	1010	1043	1073	1379
	Laminate	1262	1296	1338	1900
D04	Table top finish				
①/②	Melamine faced chipboard (MFC)	2 mm edge in glue technology	●		
①/L-②		2 mm laser edge	+59		
①/②	Laminate	2 mm edge in glue technology	○		
D04a	Table top thickness				
TT-25	25 mm	●			
D07	Media				
	No grommets / no media ports	●			
QC-④	ø80 mm plastic grommet	○			
YB***	Media port Pluto 1M	See media ports configuration matrix			
YL***	Media port Netbox Line 4M				
YC***	Media port Netbox Line 5M				
YT***	Media port Netbox Turn Comfort 3M				
YG***	Media port Netbox Turn Comfort 4M				
YD***	Media port Power Frame 3M				
YW***	Media port Power Frame 4m				
D11	Column shape				
SC-RD	Round	●			
D12	Height				
H740	740 mm	●			
H1050	1050 mm	+90			
D14	Base finish				
BC-③	Powder-coated steel	●			
D15	Bottom base plate shape				
BX-RD	Round	●			
BX-SQ	Square	○			
BX-SQR	Soft square with rounded edges	-			
Sample order	MEETHINK TABLE RC (W1600 D800 BI/BI TT-25 SC-RD H740 BC-BL BX-RD)				

- ① – Please specify colour code for MFC or laminate – see finishes
 ② – Please specify table top edge finish – see matrix of table top finishes combinations
 ③ – Please specify metal elements finish – see finishes
 ④ – Please specify plastic elements finish – see finishes
- Available as standard (included in basic price)
 - Available as an option (included in basic price)

Meeting table



MeeThink meeting table, soft rectangular with rounded edges table top


MEETHINK TABLE BRR

- Two-column base

W••••	Width (mm)	1400	1800	2000	2200
D••••	Depth (mm)	700	900		1100
		Basic price (Euro)			
	Melamine faced chipboard (MFC)	877	1103	1153	1598
	Laminate	1145	1420	1476	1912
D04	Table top finish				
①/②	Melamine faced chipboard (MFC)	2 mm edge in glue technology	●		
①/L-②		2 mm laser edge	+59		
①/②	Laminate	2 mm edge in glue technology	○		
D04a	Table top thickness				
TT-25	25 mm	●			
D07	Media				
	No grommets / no media ports	●			
QC-④	ø80 mm plastic grommet	○			
YB•••	Media port Pluto 1M	-	See media ports configuration matrix		
YL•••	Media port Netbox Line 4M				
YC•••	Media port Netbox Line 5M				
YT•••	Media port Netbox Turn Comfort 3M				
YG•••	Media port Netbox Turn Comfort 4M				
YD•••	Media port Power Frame 3M				
YW•••	Media port Power Frame 4m				
D11	Column shape				
SC-RD	Round	●			
D12	Height				
H740	740 mm	●			
H1050	1050 mm	+90			
D14	Base finish				
BC-③	Powder-coated steel	●			
D15	Bottom base plate shape				
BX-RD	Round	●			
BX-SQ	Square	○			
BX-SQR	Soft square with rounded edges				
Sample order	MEETHINK TABLE BRR (W1400 D700 BI/BI TT-25 SC-RD H740 BC-BL BX-SQR)				

- ① – Please specify colour code for MFC or laminate – [see finishes](#)
 ② – Please specify table top edge finish – [see matrix of table top finishes combinations](#)
 ③ – Please specify metal elements finish – [see finishes](#)
 ④ – Please specify plastic elements finish – [see finishes](#)
 ● Available as standard (included in basic price)
 ○ Available as an option (included in basic price)

Cable management



Horizontal wire trunking, felt

CABLE MANAGEMENT HC FL

- Assembly directly to table top with velcro-type fixing
- Width 300 mm
- Depth 155 mm
- Height 100 mm

	Finish	Basic price (Euro)
FC01	Felt	90



Vertical wire trunking, upholstered

CABLE MANAGEMENT VC UPH 1

- Assembly directly to table top with plastic connectors

DI••	Diameter (mm)	38	65
	Length	Basic price (Euro)	
L850	850 mm	55	62
L1200	1200 mm	59	73
	Finish		
⑤	Upholstery price group	4	•
	Assembly		
IN-T	Fixing directly to table top	•	



Vertical wire trunking, flexible spring

CABLE MANAGEMENT VC FX

- Assembly directly to table top
- Length 1300 mm

	Finish	Basic price (Euro)
TR	Plastic	Transparent
AU		Aluminium
B		Black
		105

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

- Available as standard (included in basic price)

Technical description

1. Meeting tables

1.1. Table top

Fixed table tops – finish options:

- melamine faced chipboard (MFC), thickness 25 mm, with 2 mm edge in glue technology as standard or laser edge as an option,
- laminate – top part of chipboard covered with laminate, bottom part covered with antiresilient laminate in white colour, thickness 25 mm, with 2 mm edge in glue technology.

Table tops are available in following shape options: round, square, soft square with rounded edges, rectangular, soft rectangular with rounded edges.

Grommets and media ports (in various types and configurations) are an integral part of product and do not need to be ordered separately – available as an option.

1.2. Base

Column base


Bottom base plate is available in following shape options: round, square, soft square with rounded edges.

Column is made of steel tube \varnothing 80 mm. Fixed height 450, 550, 740 or 1050 mm, levelling in range of 10 mm.


Finish options: powder-coated in Traffic white (RAL 9016), Jet black (RAL 9005), White aluminium (RAL 9006), Slate grey (RAL 7015), or "Fashion Collection" colour.

All meeting tables are unassembled as standard.


1.3. Product range




MeeThink meeting table, round table top




MeeThink meeting table, square table top




MeeThink meeting table, soft square with rounded edges table top




MeeThink meeting table, soft rectangular with rounded edges table top on a round base plate




MeeThink meeting table, soft rectangular with rounded edges table top on a square base plate




MeeThink meeting table, soft rectangular with rounded edges table top on a soft rectangular with rounded edges base plate



MeeThink meeting table, rectangular table top on a round base plate








MeeThink meeting table, rectangular table top on a square base plate



MeeThink meeting table, rectangular table top on a soft rectangular with rounded edges base plate


Technical description





Table tops







Technical description

1.4 Table tops and bases combination matrix

	Bottom base plate dimensions [mm] – round plate 			
Table top shape	Ø450	Ø550	Ø650	Ø750
	Ø600	Ø800	Ø1000	Ø1200
 *		1600×800 1800×800 2000×800	2000×1000	2200×1100
 *	1400×700	1800×900 2000×900		2200×1100

	Bottom base plate dimensions [mm] – square plate 			
Table top shape	450×450	550×550	650×650	
	600×600	800×800	1000×1000	
 *		1600×800 1800×800 2000×800	2000×1000	
 *	1400×700	1800×900 2000×900	2200×1100	

	Bottom base plate dimensions [mm] – soft square plate 			
Table top shape	450×450	550×550	650×650	
	700×700	900×900	1100×1100	
 *		1600×800 1800×800 2000×800	2000×1000	
 *	1400×700	1800×900 2000×900	2200×1100	

* Meeting tables with two-column base

		Height adjustment	
		Meeting tables with one-column base	Meeting tables with two-column base
Fixed height	450mm	•	–
	550mm	•	–
	740mm	•	•
	1050mm	• (not available for table top dimensions Ø1200mm and 1100×1100mm)	•

2. Table top finishes combinations

		Table top finish – melamine																						
		BI	BZ	CC	MB	MP	MS	NM	NS	NR	NA	NC	NH	NJ	NL	NZ	NT	NV	NP	MK	NK	ML		
Edge finish – ABS	Laser	BI	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o		
		MB	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		MP	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		NH	o	o	o	o	o	o	o	o	o			o								o		
		NJ	o	o	o	o	o	o	o	o	o				o								o	
		NA	o	o	o	o	o	o	o	o	o	o											o	
	Glue technology	BI	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		MB	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		MP	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		BZ	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		CC	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		MS	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		NM	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		NS	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		NR	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		o	o	
		NA	o	o	o	o	o	o	o	o	o	o											o	
		NC	o	o	o	o	o	o	o	o	o		o										o	
		NH	o	o	o	o	o	o	o	o	o			o									o	
		NJ	o	o	o	o	o	o	o	o	o				o								o	
		NL	o	o	o	o	o	o	o	o	o					o							o	
		NZ	o	o	o	o	o	o	o	o	o						o						o	
		NT	o	o	o	o	o	o	o	o	o							o					o	
		NV	o	o	o	o	o	o	o	o	o								o				o	
		NP	o	o	o	o	o	o	o	o	o									o			o	
MK																			o					
NK	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o			o	o		
ML	o	o	o	o	o	o	o	o	o												o	o		

3. Cable management

3.1. Meeting tables with one-column base

Vertical cable management inside table column.

3.2. Meeting tables with two-column base

Horizontal wire trunking

Felt – made of thermoformed felt in dark grey colour, assembly directly to table top with velcro tape fixing, width 300 mm.

Vertical wire trunking

Upholstered – made of fabric with zip. Assembly directly to table top with plastic connectors. Available in diameter 38 or 65 mm, and in various lengths – depending on table height.

Flexible spring – made of plastic in alu or black colour, or transparent. Fixing directly to table top.

Technical description












3.3. Grommets and media ports for high meeting tables and conference tables

Metal rectangular cable outlet and media ports available only for fixed table top.

- ④ – Plastic element finish:
- W – white
- AU – aluminium
- B – black

4. Technical regulations, certificates and quality marks (for selected product configurations)

INT approved compliance with EN 15372,

	Grommets/media ports position	
	Meetthink table: RD, SQ, SQR	Meetthink table: RC, BRR
Plastic grommet Ø 80 (QC)		
	QC-④	QC-④
Media port PIX 1M		—
	YI●●●	
Media port Pluto 1M		
	YB●●●	YB●●●
Media port Netbox Line 4M	—	
		YL●●●
Media port Netbox Line 5M	—	
		YC●●●
Media port Netbox Turn Comfort 3M	—	
		YT●●●
Media port Netbox Turn Comfort 4M	—	
		YG●●●
Media port Power Frame 3M	—	
		YD●●●
Media port Power Frame 4M	—	
		YW●●●