


Conference tables

päivitetty 8.5.2023



MeeThink Y conference table, rectangular table top


MEETHINK Y CONFERENCE TABLE RC

- Fixed, rectangular table top, thickness 25 mm
- „Y” legs base
- Bottom part of leg is connected by metal linking element, thickness 5 mm.
- Fixed height 740 mm

W••••	Width (mm)	1200	1300	1400	1500	1600	1700	1800
D800	Depth (mm)	800						
		Basic price (Euro)						
	Melamine faced chipboard (MFC)	862	882	903	923	944	967	989
	Laminate	1038	1072	1095	1126	1152	1178	1207
W••••	Width (mm)	1200	1300	1400	1500	1600	1700	1800
D1000	Depth (mm)	1000						
		Basic price (Euro)						
	Melamine faced chipboard (MFC)	902	936	960	996	1019		
	Laminate	1081	1121	1151	1193	1218		-
D04	Table top finish							
①/②	Melamine faced chipboard (MFC)	2 mm edge in glue technology	●					
①/L-②		2 mm laser edge	+95					
①/②	Laminate	2 mm edge in glue technology	○					
①/L-②		2 mm laser edge	+95					
①	Fenix NTM	1 mm laser edge	○					
D04a	Table top thickness							
TT-25	25 mm		●					
D07	Media							
	No grommets / no media ports		●					
	ø80 mm plastic grommet		○					
	Rectangular metal cable outlet with brush		+125					
•/•/• positioning according to matrix	Media port Pluto 1M, Netbox Line 4M, Netbox Line 5M, Netbox Turn Comfort 3M, Netbox Turn Comfort 4M, Power Frame 3M, Power Frame 4M		See media ports configuration matrix					
D12	Height							
H740	740 mm		●					
D14	Base finish							
	Y-legs	Metal linking element						
BC-③/③	Powder-coated steel	Powder-coated steel	●					
Sample order	MEETHINK Y CONFERENCE TABLE RC (W1200 D800 BI/BI TT-25 H740 BC-BL/BL)							

- ① – Please specify colour code for MFC, laminate or Fenix NTM – [see finishes](#)
- ② – Please specify table top edge finish – [see matrix of table top finishes combinations](#)
- ③ – Please specify metal elements finish – [see finishes](#)
- Available as standard (included in basic price)
- Available as an option (included in basic price)

Conference tables



MeeThink Y conference table, rectangular table top

MEETHINK Y CONFERENCE TABLE RC

- Fixed, rectangular table top, thickness 25 mm
- „Y“ legs base
- Bottom part of leg is connected by metal linking element, thickness 5 mm.
- Fixed height 740 mm

W****	Width (mm)	2400	2600	2800	3000	3200	3400	3600
D800	Depth (mm)	800						
		Basic price (Euro)						
	Melamine faced chipboard (MFC)	1393	1458	1526	1588	1653	1718	1785
	Laminate	1702	1780	1853	1931	2005	2080	2153
W****	Width (mm)	2400	2600	2800	3000	3200	3400	3600
D1000	Depth (mm)	1000						
		Basic price (Euro)						
	Melamine faced chipboard (MFC)	1476	1558	1628	1709	1779	-	
	Laminate	1781	1873	1953	2047	2127	-	
	Fenix NTM						-	
D04	Table top finish							
①/②	Melamine faced chipboard (MFC)	2 mm edge in glue technology	●					
①/L-②		2 mm laser edge	+105					
①/②	Laminate	2 mm edge in glue technology	○					
①/L-②		2 mm laser edge	+105					
①	Fenix NTM	1 mm laser edge	○					
D04a	Table top thickness							
TT-25	25 mm	●						
D07	Media							
	No grommets / no media ports		●					
	ø80 mm plastic grommet		○					
	Rectangular metal cable outlet with brush		+95					
•/•/• positioning according to matrix	Media port Pluto 1M, Netbox Line 4M, Netbox Line 5M, Netbox Turn Comfort 3M, Netbox Turn Comfort 4M, Power Frame 3M, Power Frame 4M		See media ports configuration matrix					
D12	Height							
H740	740 mm	●						
D14	Base finish							
	Y-legs	Metal linking element						
BC-③/③	Powder-coated steel	Powder-coated steel		●				
Sample order	MEETHINK Y CONFERENCE TABLE RC (W2400 D800 BI/BI TT-25 H740 BC-BL/BL)							

① – Please specify colour code for MFC, laminate or Fenix NTM – [see finishes](#)


② – Please specify table top edge finish – [see matrix of table top finishes combinations](#)

③ – Please specify metal elements finish – [see finishes](#)

● Available as standard (included in basic price)

○ Available as an option (included in basic price)

Meeting tables



MeeThink Y high meeting table, rectangular table top


MEETHINK Y TABLE RC

- Fixed, rectangular table top, thickness 25 mm
- „Y“ legs base
- Bottom part of leg is connected by metal linking element, thickness 5 mm.
- Fixed height 1050 mm

W••••	Width (mm)	1200	1300	1400	1500	1600	1700	1800
D800	Depth (mm)	800						
		Basic price (Euro)						
	Melamine faced chipboard (MFC)	972	1006	1039	1075	1107	1138	1174
	Laminate	1127	1166	1201	1240	1274	1313	1352
W••••	Width (mm)	1200	1300	1400	1500	1600	1700	1800
D1000	Depth (mm)	1000						
		Basic price (Euro)						
	Melamine faced chipboard (MFC)	1019	1062	1100	1145	1183	-	
	Laminate	1165	1228	1258	1311	1346	-	
D04	Table top finish							
①/②	Melamine faced chipboard (MFC)	2 mm edge in glue technology	●					
①/L-②		2 mm laser edge	+59					
①/②	Laminate	2 mm edge in glue technology	○					
①/L-②		2 mm laser edge	+59					
①	Fenix NTM	1 mm laser edge	○					
D04a	Table top thickness							
TT-25	25 mm	●						
D07	Media							
	No grommets / no media ports		●					
	ø80 mm plastic grommet		○					
•/•/• positioning according to matrix	Rectangular metal cable outlet with brush		+95					
	Media port Pluto 1M, Netbox Line 4M, Netbox Line 5M, Netbox Turn Comfort 3M, Netbox Turn Comfort 4M, Power Frame 3M, Power Frame 4M		See media ports configuration matrix					
D12	Height							
H1050	1050 mm	●						
D14	Base finish							
	Y-legs	Metal linking element						
BC-③/③	Powder-coated steel	Powder-coated steel	●					
Sample order	MEETHINK Y TABLE RC (W1200 D800 BI/BI TT-25 H1050 BC-BL/BL)							

- ① – Please specify colour code for MFC, laminate or Fenix NTM – [see finishes](#)
- ② – Please specify table top edge finish – [see matrix of table top finishes combinations](#)
- ③ – Please specify metal elements finish – [see finishes](#)
- Available as standard (included in basic price)
 - Available as an option (included in basic price)

Meeting tables



MeeThink Y high meeting table, rectangular table top


MEETHINK Y TABLE RC

- Fixed, rectangular table top, thickness 25 mm
- „Y“ legs base
- Bottom part of leg is connected by metal linking element, thickness 5 mm.
- Fixed height 1050 mm

W****	Width (mm)	2400	2600	2800	3000	3200	3400	3600
D800	Depth (mm)	800						
		Basic price (Euro)						
	Melamine faced chipboard (MFC)	1707	1773	1840	1907	1969	2034	2102
	Laminate	1952	2030	2105	2183	2256	2300	2408
W****	Width (mm)	2400	2600	2800	3000	3200	3400	3600
D1000	Depth (mm)	1000						
		Basic price (Euro)						
	Melamine faced chipboard (MFC)	1794	1876	1942	2025	2095		
	Laminate	2031	2127	2205	2297	2375		-
D04	Table top finish							
①/②	Melamine faced chipboard (MFC)	2 mm edge in glue technology						•
①/L-②		2 mm laser edge						+105
①/②	Laminate	2 mm edge in glue technology						○
①/L-②		2 mm laser edge						+105
①	Fenix NTM	1 mm laser edge						○
D04a	Table top thickness							
TT-25	25 mm							•
D07	Media							
	No grommets / no media ports							•
	ø80 mm plastic grommet							○
	Rectangular metal cable outlet with brush							+95
•/•/• positioning according to matrix	Media port Pluto 1M, Netbox Line 4M, Netbox Line 5M, Netbox Turn Comfort 3M, Netbox Turn Comfort 4M, Power Frame 3M, Power Frame 4M							See media ports configuration matrix
D12	Height							
H1050	1050 mm							•
D14	Base finish							
	Y-legs	Metal linking element						
BC-③/③	Powder-coated steel	Powder-coated steel						•
Sample order	MEETHINK Y TABLE RC (W2400 D800 BI/BI TT-25 H1050 BC-BL/BL)							

- ① – Please specify colour code for MFC, laminate or Fenix NTM – [see finishes](#)
- ② – Please specify table top edge finish – [see matrix of table top finishes combinations](#)
- ③ – Please specify metal elements finish – [see finishes](#)
- Available as standard (included in basic price)
- Available as an option (included in basic price)

Cable management




Horizontal wire trunking, upholstered

CABLE MANAGEMENT HC U

- Assembly directly to table top with plastic connectors

For integration with desk width (mm)		1200-1300	1400-1500	1600-1700	1800
W••••	Width (mm)	670	870	1070	1270
Finish		Basic price (Euro)			
⑤	Upholstery price group	4	150	160	170




CS5040 foldable horizontal wire trunking

CS5040 CABLE MANAGEMENT HC F

- Foldable (two-sided)

For integration with desk width (mm)		1200-1300	1400-1500	1600-1700	1800		
W••••	Width (mm)	670	870	1070	1270		
Finish		Basic price (Euro)					
WT	Powder-coated steel	Traffic white	RAL 9016	59	62	65	68
BL		Jet black	RAL 9005				
WA		White aluminium	RAL 9006				
GY		Slate grey	RAL 7015				



CS5040 vertical wire trunking – modular

CS5040 CABLE MANAGEMENT VC MOD

- Assembly to horizontal wire trunking or directly to table top
- Length 850 mm

Finish		Basic price (Euro)	
W	Plastic	White	95
AU		Aluminium	
B		Black	

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

Cable management




Vertical wire trunking, upholstered

CABLE MANAGEMENT VC UPH 1

- Assembly directly to table top with plastic connectors

DI••	Diameter (mm)		38	65
	Length		Basic price (Euro)	
L850	850 mm		53	67
L1200	1200 mm		59	71
	Finish			
⑤	Upholstery price group	4	•	
	Assembly			
IN-T	Fixing directly to table top		•	



Vertical wire trunking, flexible spring

CABLE MANAGEMENT VC FX

- Assembly directly to table top
- Length 1300 mm

	Finish		Basic price (Euro)	
TR	Plastic	Transparent	102	
AU		Aluminium		
B		Black		

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

• Available as standard (included in basic price)

Technical description

1. Conference tables

1.1. Table top

Fixed table tops – finish options:

- melamine faced chipboard (MFC), thickness 25 mm, with 2 mm edge in glue technology as standard or laser edge as an option,
- laminate – top part of chipboard covered with laminate, bottom part covered with anti-resilient laminate in white colour, thickness 25 mm, with 2 mm edge in glue technology as standard or laser edge as an option,
- Fenix NTM – upper part of chipboard covered with Fenix NTM laminate, bottom part covered with anti-resilient laminate in white colour, thickness 25 mm, 1 mm laser edge in the same colour as table top.

Available shape: rectangular.

Grommets and media ports (in various types and configurations) are an integral part of product and do not need to be ordered separately – available as an option.

1.2. Base

Y-legs – made of steel profile 60 × 25 mm welded with supporting beams, made of steel profile 60 × 25 mm, with plastic caps. Bottom part of leg is connected by metal linking element, made of steel sheet, thickness 5 mm.

Frame – two beams made of steel profile 40 × 30 mm.

Fixed height 740 mm as standard, levelling in range of 15 mm.

Finish options:

- legs and beams – powder-coated in Traffic white (RAL 9016), Jet black (RAL 9005), White aluminium (RAL 9006), Slate grey (RAL 7015) or "Fashion Collection" colour,
 - metal linking element – powder-coated in Traffic white (RAL 9016), Jet black (RAL 9005), White aluminium (RAL 9006), Slate grey (RAL 7015) or "Fashion Collection" colour. Metal linking element is available in the same colour as leg and beams or in different colour.
- Conference tables with two-piece table tops, dimensions 2400 × 800 mm and bigger, are equipped with additional Y-leg in the same dimensions as external Y-legs.

All conference tables are unassembled as standard.

1.3. Product range

MeeThink Y conference table, rectangular table top on Y-legs base






Table tops



2. High meeting tables

2.1. Table top

Fixed table tops – finish options:

- melamine faced chipboard (MFC), thickness 25 mm, with 2 mm edge in glue technology as standard or laser edge as an option,
- laminate – top part of chipboard covered with laminate, bottom part covered with anti-resilient laminate in white colour, thickness 25 mm, with 2 mm edge in glue technology as standard or laser edge as an option,
- Fenix NTM – upper part of chipboard covered with Fenix NTM laminate, bottom part covered with anti-resilient laminate in white colour, thickness 25 mm, 1 mm laser edge in the same colour as table top.

Available shape: rectangular.

Grommets and media ports (in various types and configurations) are an integral part of product and do not need to be ordered separately – available as an option.

2.2. Base

Y-legs – made of steel profile 60 × 25 mm welded with supporting beams, made of steel profile 60 × 25 mm, with plastic caps. Bottom part of leg is connected by metal linking element, made of steel sheet, thickness 5 mm.

Foot bar – beams made of steel profile 40 × 20 mm.

Frame – two beams made of steel profile 40 × 30 mm.

Fixed height 1050 mm as standard, levelling in range of 15 mm.

Finish options:

- Legs, beams and foot bar – powder-coated in Traffic white (RAL 9016), Jet black (RAL 9005), White aluminium (RAL 9006), Slate grey (RAL 7015) or "Fashion Collection" colour, all elements always in the same colour,
- metal linking element – powder-coated in Traffic white (RAL 9016), Jet black (RAL 9005), White aluminium (RAL 9006), Slate grey (RAL 7015) or "Fashion Collection" colour.

Metal linking element is available in the same colour as leg and beams or in different colour.

High meeting tables with two-piece table tops, dimensions 2400 × 800 mm and bigger, are equipped with additional Y-leg in the same dimensions as external Y-legs.

All high meeting tables are unassembled as standard.

2.3. Product range

MeeThink Y meeting table, rectangular table top on Y-legs base






Table tops



Technical description

	Height adjustment	
	Conference tables	High meeting tables
Fixed height	740mm	1050mm

3. Table top finishes combinations

		Table top finish – melamine																						
		BI	BZ	CC	MB	MP	MS	NM	NS	NR	NA	NC	NH	NJ	NL	NZ	NT	NV	NP	MK	NK	ML		
Edge finish – ABS	Laser	BI	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		
		MB	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
		MP	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
		NH	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
		NJ	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
		NA	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
	Glue technology	BI	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
		MB	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
		MP	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
		BZ	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
		CC	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
		MS	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		NM	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		NS	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		NR	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		NA	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		NC	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		NH	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		NJ	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		NL	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
NZ	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		
NT	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		
NV	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		
NP	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		
MK																								
NK	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		
ML	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o		

4. Cable management

Horizontal wire trunking

Foldable – made of steel sheet, thickness 1.0 mm, with cut outs that allow to integrate it with vertical wire trunking – modular. Wire trunking is already equipped with plastic brackets, assembly directly to table top. Finish options: powder-coated in Traffic white (RAL 9016), Jet black (RAL 9005), White aluminium (RAL 006) or Slate grey (RAL 7015) colour.

Upholstered – made of fabric with reinforced bottom part. Assembly directly to table top with plastic connectors.

Vertical wire trunking

Flexible modular – made of plastic in alu, black or white colour. Fixing to horizontal foldable wire trunking or directly to table top. Applicable to conference tables and high meeting tables.

Flexible modular – made of plastic in alu, black or white colour. Fixing directly to table top.

Flexible spring – made of plastic in alu or black colour, or transparent. Fixing directly to table top. Applicable to conference tables and high meeting tables.

Upholstered – made of fabric with zip. Assembly directly to table top with plastic connectors. Available in diameter 38 or 65 mm, and in various lengths – depending on table height.

Technical description

4.1. Grommets and media ports for conference tables and high meeting tables

Metal rectangular cable outlet and media ports available only for fixed table top.

- ③ Metal elements finish:
- WT – Traffic white (RAL 9016)
 - AL – White aluminium (RAL 9006)
 - BL – Jet black (RAL 9005)
 - GY – Slate grey (RAL 9015)

- ④ Plastic element finish:
- W – white
 - AU – aluminium
 - B – black

		MeeThink Y meeting tables, conference tables, width up to 1800 mm										
		Width	1200	1300	1400	1500	1600	1700	1800	1600	1700	1800
			Middle						Left + right			
Position												
Plastic square grommet Ø80 (QC)	QC-④		0/QC-④/0						QC-④/0/QC-④			
Metal rectangular cable outlet with brush (QE)	QE-③		0/QE-③/0						—			
Pluto 1M	YB•••		0/YB•••/0									
Netbox Line 4M	YL•••		0/YL•••/0									
Netbox Line 5M	YC•••		0/YC•••/0									
Netbox Turn Comfort 3M	YT•••		0/YT•••/0									
Netbox Turn Comfort 4M	YG•••		0/YG•••/0									
Power Frame 3M	YD•••		0/YD•••/0									
Power Frame 4M	YW•••		0/YW•••/0									

		MeeThink Y meeting tables, conference tables, width from 2400 mm					
			Left		Right		Left + right
Position							
Plastic square grommet Ø80 (QC)	QC-④		QC-④/0/0		0/0/QC-④		QC-④/0/QC-④
Metal rectangular cable outlet with brush (QE)	QE-③		QE-③/0/0		0/0/QE-③		QE-③/0/QE-③
Pluto 1M	YB•••		YB•••/0/0		0/0/YB•••		YB•••/0/YB•••
Netbox Line 4M	YL•••		YL•••/0/0		0/0/YL•••		YL•••/0/YL•••
Netbox Line 5M	YC•••		YC•••/0/0		0/0/YC•••		YC•••/0/YC•••
Netbox Turn Comfort 3M	YT•••		YT•••/0/0		0/0/YT•••		YT•••/0/YT•••
Netbox Turn Comfort 4M	YG•••		YG•••/0/0		0/0/YG•••		YG•••/0/YG•••
Power Frame 3M	YD•••		YD•••/0/0		0/0/YD•••		YD•••/0/YD•••
Power Frame 4M	YW•••		YW•••/0/0		0/0/YW•••		YW•••/0/YW•••

For example, for tables with a width from 2400 mm a grommet can be connected to an electrical port in the left and right position, e.g. QC-④/0/YW•••, YG•••/0/QC-④.

5. Technical regulations, certificates and quality marks (for selected product configurations)

INT approved compliance with EN 15372,