

päivitetty 8.5.2023



**Low upholstered  
backrest**

**Medium  
upholstered  
backrest**

**High upholstered  
backrest**

VIDEN SWIVEL CHAIR  
LB UPH

VIDEN SWIVEL CHAIR  
MB UPH

VIDEN SWIVEL CHAIR  
HB UPH

Basic price (Euro) according to upholstery price group

	1	2	3	4	5
	561	571	580		
	609	618	628		
	663	674	687		
	674	687	698		
	844	854	862		

C01	Mechanism			
FS	Synchronous mechanism	•	•	•
FST	Synchronous mechanism with seat depth adjustment	+37	+37	+37
LP11	Advanced Synchronous mechanism	+113	+113	+113
LP11T	Advanced Synchronous mechanism with seat depth adjustment	+149	+149	+149
LP11TN	Advanced Synchronous mechanism with seat depth adjustment and negative seat inclination	+162	+162	+162
EAST	Advanced Asynchronous with seat depth adjustment	+137	+137	+137
C06	Headrest			
	No headrest	•	•	•
HRUA-⑤	Upholstered, with height and tilt adjustment	Fabric	—	+145
		Leather	—	+203
C08	Lumbar support			
	No lumbar support	•	•	•
LSD2	Manual with depth adjustment by knob – Schukra	+70	+70	+70
C09	Backrest			
BA-⑤	Upholstered	•	•	•
C10	Seat			
SE-⑤	Upholstered	•	•	•
SE-AIC-⑤	Upholstered, with pneumatic AirCare system	+97	+97	+97

⑤ – please specify upholstery colour code from selected price group ([see finishes](#)).

To complete chair configuration select options on next pages →

As standard, the upholstery type and colour are the same for each upholstered element,


with exception of headrest which can be upholstered in all KN, VL and available leather colours – [see finishes](#).

- Available as standard (included in basic price)

		VIDEN SWIVEL CHAIR LB UPH	VIDEN SWIVEL CHAIR MB UPH	VIDEN SWIVEL CHAIR HB UPH
C11	Armrests			
RTS	No armrests	●	●	●
R42U1-SB2	2-D armrests with soft polyurethane (PU) pads	+75	+75	+75
R41	3-D armrests with soft polyurethane (PU) pads	+76	+76	+76
R42U3-SB2	4-D armrests with soft polyurethane (PU) pads	+92	+92	+92
C13	Base			
TS25	Ø 710 mm five-star black polyamide	●	●	●
ST44-POL	Ø 700 mm five-star polished aluminium with chrome effect	+84	+84	+84
C14	Castors			
ESH	Ø 65 mm for soft floors	●	●	●
ESHH	Ø 65 mm for hard floors	○	○	○
C16	Foam			
FOAM-I	Injected	●	●	●
C19	Packaging			
PACK-UNASM	Unassembled (not applicable to the version with R42U1-SB2 and R42U3-SB2 armrests)	●	●	●
PACK-L	Partially assembled, L-shape cardboard packaging	○	○	○
Sample order	VIDEN SWIVEL CHAIR LB UPH (FS BA-BN8033 SE-BN8033 R42U1-SB2 TS25 ESH FOAM-I PACK-L)			
	VIDEN SWIVEL CHAIR HB UPH (FS BA-BN1008 SE-BN1008 RTS TS25 ESH FOAM-I PACK-UNASM)			

- Available as standard (included in basic price)
- Available as an option (included in basic price)

## 1. Dimensions/Weight



VIDEN SWIVEL CHAIR LB UPH



VIDEN SWIVEL CHAIR MB UPH



VIDEN SWIVEL CHAIR HB UPH



Model	Dimensions (mm)														Weight (kg)
	A	B	C	D	E	F	G	H	J	K	L	I	M	N	
VIDEN-LB-PW TS25 RTS FS ESH/ESHH	410-530	440	480	460	865-1065	425	480	465-535	710	-	644	-	-	-	16,4
VIDEN-LB-PW ST44 RTS FS ESH/ESHH	410-530	440	480	460	865-1065	425	480	465-535	700	-	636	-	-	-	16,6
VIDEN-LB-PW TS25 RTS FST ESH/ESHH	410-530	440-490	480	460	865-1065	425	480	465-535	710	-	644	-	-	-	17,2
VIDEN-LB-PW ST44 RTS FST ESH/ESHH	410-530	440-490	480	460	865-1065	425	480	465-535	700	-	636	-	-	-	17,4
VIDEN-MB-PW TS25 RTS FS ESH/ESHH	410-530	440	480	460	965-1165	425	580	565-635	710	-	644	-	-	-	16,8
VIDEN-MB-PW ST44 RTS FS ESH/ESHH	410-530	440	480	460	965-1165	425	580	565-635	700	-	636	-	-	-	17
VIDEN-MB-PW TS25 RTS FST ESH/ESHH	410-530	440-490	480	460	965-1165	425	580	565-635	710	-	644	-	-	-	17,6
VIDEN-MB-PW ST44 RTS FST ESH/ESHH	410-530	440-490	480	460	965-1165	425	580	565-635	700	-	636	-	-	-	17,9
VIDEN-HB-PW TS25 RTS FS ESH/ESHH	410-530	440	480	460	1065-1265	425	680	665-735	710	-	644	-	-	-	17
VIDEN-HB-PW ST44 RTS FS ESH/ESHH	410-530	440	480	460	1065-1265	425	680	665-735	700	-	636	-	-	-	17,2
VIDEN-HB-PW TS25 RTS FST ESH/ESHH	410-530	440-490	480	460	1065-1265	425	680	665-735	710	-	644	-	-	-	17,8
VIDEN-HB-PW ST44 RTS FST ESH/ESHH	410-530	440-490	480	460	1065-1265	425	680	665-735	700	-	636	-	-	-	18
VIDEN-HB-HRUA-PW TS25 RTS FS ESH/ESHH	410-530	440	480	460	1065-1265	425	680	665-735	710	-	644	105-180	225	130	17,9
VIDEN-HB-HRUA-PW ST44 RTS FS ESH/ESHH	410-530	440	480	460	1065-1265	425	680	665-735	700	-	636	105-180	225	130	18,1
VIDEN-HB-HRUA-PW TS25 RTS FST ESH/ESHH	410-530	440-490	480	460	1065-1265	425	680	665-735	710	-	644	105-180	225	130	18,7
VIDEN-HB-HRUA-PW ST44 RTS FST ESH/ESHH	410-530	440-490	480	460	1065-1265	425	680	665-735	700	-	636	105-180	225	130	18,9
VIDEN-LB-PW TS25 RTS LP11 ESH/ESHH	410-530	430	480	460	865-1065	425	480	465-535	710	-	644	-	-	-	16,7
VIDEN-LB-PW ST44 RTS LP11 ESH/ESHH	410-530	430	480	460	865-1065	425	480	465-535	700	-	636	-	-	-	16,9
VIDEN-LB-PW TS25 RTS LP11T/LP11TN ESH/ESHH	410-530	430-490	480	460	865-1065	425	480	465-535	710	-	644	-	-	-	18
VIDEN-LB-PW ST44 RTS LP11T/LP11TN ESH/ESHH	410-530	430-490	480	460	865-1065	425	480	465-535	700	-	636	-	-	-	18,2

**A** – Seat height  
**B** – Seat depth  
**C** – Seat surface depth  
**D** – Seat width  
**E** – Overall height

**F** – Backrest width  
**G** – Backrest length  
**H** – Backrest height  
**J** – Base diameter  
**K** – Base width

**L** – Overall depth  
**I** – Headrest height (above the backrest)  
**M** – Headrest width  
**N** – Headrest height



Model	Dimensions (mm)														Weight (kg)
	A	B	C	D	E	F	G	H	J	K	L	I	M	N	
VIDEN-MB-PW TS25 RTS LP11 ESH/ESHH	410-530	430	480	460	965-1165	425	580	565-635	710	-	644	-	-	-	17,1
VIDEN-MB-PW ST44 RTS LP11 ESH/ESHH	410-530	430	480	460	965-1165	425	580	565-635	700	-	636	-	-	-	17,3
VIDEN-MB-PW TS25 RTS LP11T/LP11TN ESH/ESHH	410-530	430-490	480	460	965-1165	425	580	565-635	710	-	644	-	-	-	18,4
VIDEN-MB-PW ST44 RTS LP11T/LP11TN ESH/ESHH	410-530	430-490	480	460	965-1165	425	580	565-635	700	-	636	-	-	-	18,6
VIDEN-HB-PW TS25 RTS LP11 ESH/ESHH	410-530	430	480	460	1065-1265	425	680	665-735	710	-	644	-	-	-	17,3
VIDEN-HB-PW ST44 RTS LP11 ESH/ESHH	410-530	430	480	460	1065-1265	425	680	665-735	700	-	636	-	-	-	17,5
VIDEN-HB-PW TS25 RTS LP11T/LP11TN ESH/ESHH	410-530	430-490	480	460	1065-1265	425	680	665-735	710	-	644	-	-	-	18,6
VIDEN-HB-PW ST44 RTS LP11T/LP11TN ESH/ESHH	410-530	430-490	480	460	1065-1265	425	680	665-735	700	-	636	-	-	-	18,8
VIDEN-HB-HRUA-PW TS25 RTS LP11 ESH/ESHH	410-530	430	480	460	1065-1265	425	680	665-735	710	-	644	105-180	225	130	18,2
VIDEN-HB-HRUA-PW ST44 RTS LP11 ESH/ESHH	410-530	430	480	460	1065-1265	425	680	665-735	700	-	636	105-180	225	130	18,4
VIDEN-HB-HRUA-PW TS25 RTS LP11T/LP11TN ESH/ESHH	410-530	430-490	480	460	1065-1265	425	680	665-735	710	-	644	105-180	225	130	19,5
VIDEN-HB-HRUA-PW ST44 RTS LP11T/LP11TN ESH/ESHH	410-530	430-490	480	460	1065-1265	425	680	665-735	700	-	636	105-180	225	130	19,7

- A** – Seat height
- B** – Seat depth
- C** – Seat surface depth
- D** – Seat width
- E** – Overall height
- F** – Backrest width
- G** – Backrest length
- H** – Backrest height
- J** – Base diameter
- K** – Base width
- L** – Overall depth
- I** – Headrest height (above the backrest)
- M** – Headrest width
- N** – Headrest height



Armrest	Dimensions (mm)					Weight (kg)
	Z	Y	X	W	V	
R41	230-310	255	103	450-510	655-715	1,9
R42U1-SB2	225-305	240	90	480-530	660-710	1,9
R42U3-SB2	225-305	240	100	470-520	670-720	1,9

- Z** – Armrest height
- Y** – Armrest length
- X** – Armrest width
- W** – Internal width between armrests
- V** – External width between armrests

## 2. Materials / Versions

### 2.1. Base

#### Bases:

- Ø 710 mm five-star black polyamide (TS25),
- Ø 700 mm five-star polished aluminium with chrome effect (ST44-POL).

### 2.2. Castors

Ø 65 mm black plastic self-braking castors for soft floors (ESH) as standard, or hard floors (ESHH) as an option.

### 2.3. Mechanisms

#### FS Synchronous mechanism – functions:

- free-floating – synchronous backrest and seat tilt,
- backrest tilt angle of 20° synchronised with the seat tilt angle of 11°,
- backrest multi-lock in 5 positions,
- backrest tilt force adjustment with a knob,
- seat depth adjustment 50 mm – as an option (FST),
- Anti-Shock – a feature that controls chair backrest to avoid hitting user's back after releasing the lock,
- smooth height adjustment of chair with pneumatic gas lift.

#### LP11 Synchronous mechanism – functions:

- free-floating – synchronous backrest and seat tilt,
- backrest tilt angle of 23° synchronised with the seat tilt angle of 11°,
- backrest multi-lock in 5 positions,
- backrest tilt force adjustment with a knob placed on the right side of seat,
- seat depth adjustment 60 mm, multi-lock in 6 positions – as an option (LP11T),
- negative seat inclination of – 3°, synchronously tilting with the backrest at 6°, which guarantees optimal support for the user's back at each tilted position of the chair – as an option (LP11TN),
- Anti-Shock – a feature that controls the backrest to avoid hitting user's back after releasing the lock,
- smooth height adjustment of chair with pneumatic gas lift.

#### EAST Advanced Asynchronous mechanism

- functions:
- free-floating – backrest tilt,
- backrest tilt angle in range of – 10° up to + 25°,
- seat tilt angle in range of – 5° up to + 5°,
- seat depth adjustment 60 mm,
- backrest multi-lock in 5 positions,
- backrest tilt force adjustment with a crank placed under the seat,
- Anti-Shock – a feature that controls chair backrest to avoid hitting user's back after releasing the lock,
- smooth height adjustment of chair with pneumatic gas lift.

### 2.4. Seat, backrest and headrest

#### Seat

Structure is made of 7-layer plywood, thickness 10.5 mm, covered with injected foam, thickness 52–71 mm, density 52 kg/m<sup>3</sup>.

AirCare system (AIC) – based on ergonomic technology of seat which dynamically adjusts to user's body movements.

It consists of air chambers that ensure biodynamic seat and support user's spine.

#### Backrest

As standard, each backrest is height adjustable in range of 70 mm, 13 lock positions.

High upholstered backrest (HB UPH) – structure is made of 8-layer plywood, thickness 12 mm, covered with injected foam, thickness ≈ 35 mm, density 60 kg/m<sup>3</sup>.

Midle upholstered backrest (MB UPH) – structure is made of 8-layer plywood, thickness 12 mm, covered with injected foam, thickness ≈ 35 mm, density 70 kg/m<sup>3</sup>.

Low upholstered backrest (LB UPH) – structure is made of 8-layer plywood, thickness 12 mm, covered with injected foam, thickness ≈ 35 mm, density 70 kg/m<sup>3</sup>.

Backrest connector – made of flat steel bar, thickness 8 mm.

Manual lumbar support (LSD2) – integrated with upholstered backrest, with depth adjustment by knob in range of 20 mm – Schukra mechanism.

### Headrest

Upholstered headrest (HRUA) – structure is made of polystyrene (PS), covered with cut foam, thickness 15 mm, density 40 kg/m<sup>3</sup>, fully upholstered. Tilt angle and height adjustment in range of 75 mm.

### 3. Armrests

2-D armrests – made of black polyamide (PA) with black soft polyurethane (PU) pads. Adjustment range of the armrests: height 80 mm, side movement of the armrests ± 25 mm.

3-D armrests – made of black polyamide (PA) with black soft polyurethane (PU) pads. Adjustment range of the armrests: height 80 mm, side movement of pads ± 15 mm, forward/backward movement of the pad ± 25 mm.

4-D armrests – made of black polyamide (PA) with black soft polyurethane (PU) pads. Adjustment range of the armrests: height 80 mm, side movement of the armrests ± 25 mm, forward/backward movement of the pad ± 20 mm, pad rotation ± 30°.

### 4. Packaging

Chair unassembled, 1 piece per box, 10 pieces on pallet – as standard (not applicable to the version with R42U1-SB2 and R42U3-SB2 armrests).

Chair partially assembled, 1 piece per L-shape box, 5 pieces on pallet – as an option.

The cardboard contains 3 separate elements:

- assembled seat with the mechanism, backrest and armrests,
- base with assembled castors,
- gas lift.

### 5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS safety certificate.

6. Sample order

6.1. Swivel chairs

Product line	Product subgroup	Version		C01	C06	C08	C09
VIDEN	SWIVEL CHAIR	HB UPH	(	FST	HRUA-CSE20	LSD2	BA-CSE20
<b>C10</b>		<b>C11</b>	<b>C13</b>	<b>C14</b>	<b>C16</b>	<b>C19</b>	
SE-CSE20		R41	TS25	ESH	FOAM-I	PACK-UNASM	)

VIDEN SWIVEL CHAIR HB UPH (FST HRUA-CSE20 LSD2 BA-CSE20 SE-CSE20 R41 TS25 ESH FOAM-I PACK-UNASM)

- C01 – Mechanism
- C06 – Headrest – upholstery colour code
- C08 – Lumbar support
- C09 – Backrest – upholstery colour code
- C10 – Seat – upholstery colour code
- C11 – Armrests
- C13 – Base
- C14 – Castors
- C16 – Foam type (seat and backrest)
- C19 – Packaging

VIDEN SWIVEL CHAIR HB UPH (FST HRUA-CSE20 LSD2 BA-CSE20 SE-CSE20 R41 TS25 ESH FOAM-I PACK-UNASM) identifies the chair as:

VIDEN office swivel chair (SWIVEL CHAIR), with high upholstered backrest (HB UPH), basic Synchronous mechanism with seat depth adjustment (FST), headrest with height and tilt angle adjustment, upholstered in Era CSE20 fabric (HRUA-CSE20), lumbar support with depth adjustment (LSD2), backrest upholstered in Era CSE20 fabric (BA-CSE20) and seat upholstered in Era CSE20 fabric (SE-CSE20), 3-D armrests (R41), Ø 710 mm five-star black polyamide base (TS25), Ø 65 mm castors for soft floors (ESH), injected foam (FOAM-I), unassembled (PACK-UNASM).

As standard, the upholstery type and colour are the same for each upholstered element, with exception of headrest which can be upholstered in all KN, VL and available leather colours – [see finishes](#).