




1. Dimensions/Weight




CONVERSA 10
weight: 5.35 kg



CONVERSA 11
weight: 6.85 kg



CONVERSA 40
weight: 5.85 kg



CONVERSA 41
weight: 7.35 kg

2. Materials/Versions

2.1. Frame

4-leg chair – steel tube Ø 22 × 2.0 mm.

4-leg chair with armrests – steel tube Ø 22 × 2.0 mm.

Stacking:

All versions – up to 4 pieces.

2.2. Glides

Glides for soft floors as standard, or hard floors (G2F) as an option, applicable to 4-leg frame chairs.

Ø 65 mm castors for soft floors applicable to Conversa 40 and 41.

2.3. Seat and backrest

Conversa line available models:

Wooden shell – made of 9-layer beech plywood, thickness 9 mm.

Wooden shell with upholstered seat pad –

– seat pad is made of 9-layer beech plywood, thickness 3.5 mm, covered with foam, thickness 15 mm, density 25 kg/m³.

Wooden shell with upholstered seat pad and backrest pad – seat pad made of 9-layer beech plywood, thickness 3.5 mm, covered with foam, thickness 15 mm, density 25 kg/m³, backrest pad made of 9-layer beech plywood, thickness 3.5 mm, covered with foam, thickness 10 mm, density 21 kg/m³.

Wooden shell with upholstered front part of the shell – the pad is made of 9-layer beech plywood, thickness 3.5 mm, covered with foam, thickness 10 mm, density 21 kg/m³.

Fully upholstered shell – foam thickness 10 mm, density 25 kg/m³.

2.4. Armrests

Fixed armrests – integrated with chair frame, open and closed with polyurethane (PU) pad.

3. Packaging

- models 10 & 11 – max 4 pieces per box (assembled),
- models 40 & 41 – max 4 pieces per box (assembled).

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Remodex (durability certificate) – approvals compliant with: EN 13761, EN 1728, EN 1022, EN 15373 level 2.
GS safety certificate (pending)