



SAND



Sand

Sand is a system of space-dividing upholstered walls. Thanks to their diversity, the models from the Sand line allow for furnishing many different zones in an office space.




The line comprises a few basic models of various

dimensions that aid in creating diverse and functional arrangements adjusted to the needs of a particular office.

1. Walls

The 150 mm thick Sand wall is made of chipboard covered with hardly flammable polyurethane foam of 35 kg/m³ density and an upholstery fabric.

The wall cover is made of 18 mm thick melamine faced chipboard. The Sand walls can be integrated with high tables or upholstered benches in the arrangements with low tables.



- 1 Cover - melamine faced chipboard 18 mm
- 2 Levels (3, 4 or 5)


- 1 Sand wall
- 2 Sand high table with a chipboard leg
- 3 Sand bench, left and right
- 4 Sand low table with a metal leg

2. Benches

The bench carcass is made of plywood and 18 mm thick chipboard. The benches are covered with hardly flammable polyurethane foam of 35 kg/m³ density and an upholstery fabric made of natural wool. The bench sides are made of melamine faced chipboard.

3. Low table with a metal leg

The Sand table top with a metal leg is made of 25 mm thick melamine faced chipboard. The metal leg with a 70 × 70 mm square diameter is powder-coated in 3 colours (WHITE, ALU and BLACK).



- 1 Bench side - 18 mm thick chipboard
- 2 Bench seat and backrest - upholstered

- 3 Metal leg with a 70 × 70 mm
- 4 Table top made of 25 mm thick melamine faced chipboard

4. High table with a chipboard leg

The Sand table top with a chipboard leg is made of 50 mm thick laminated cellular board; the leg is made of 50 mm thick melamine faced chipboard.



- 1 Table top made of 50 mm thick laminated cellular board
- 2 50 mm thick chipboard leg
- 3 Levelling feet

5. Pouffes

The pouffes are made of expanded polystyrene and a carcass made of 25 mm thick chipboard covered with foam and upholstery. The pouffes are available as mobile versions (with castors) and stationary versions (with feet).

6. Reception walls

The 150 mm thick Sand reception wall is made of chipboard covered with hardly flammable polyurethane foam of 35 kg/m³ density and an upholstery fabric. The wall cover is made of 18 mm thick melamine faced chipboard. The walls can be complemented with any desks from the Nowy Styl Group's offer.

5. Accessories

5.1 TV handle

The TV handles which allow for fixing a TV screen to the Sand wall are designed for self-assembly with the use of screws.

Fixed handle

The handle is designed for fixing 17-37" screens and TVs with a maximum load capacity of 18 kg. It is compatible with VESA:

- VESA 75 (hole distance 75 × 75 mm),
- VESA 100 (hole distance 100 × 100 mm),
- VESA 200 × 100 (hole distance 200 × 100 mm),
- VESA 200 (hole distance 200 × 200 mm).

Adjustable handle

The handle is designed for fixing 17-27" screens and TVs with a maximum load capacity of 7 kg. Adjustment range:

- inclination angle +50°/-35°,
- trading range up to 180°
- minimum distance from the wall 85 mm,
- maximum distance from the wall 254 mm.

Pivot function.
It is compatible with VESA:

- VESA 75 (hole distance 75 × 75 mm),
- VESA 100 (hole distance 100 × 100 mm).

4.2 Electric ports

AH Meyer Netbox Point

Round electric port Netbox Point, 3 points: 1 × power point, 1 × Rj45, 1 × USB, in the French, German and British standard.

AH Meyer Netbox Turn Comfort

Electric port Netbox Turn Comfort, 4 points: 2 × power point, 2 × Rj45, in the French, German and British standard.

6. Verhoilu

Price group 4

CUZ | Blazer





Synergy | LDS



Sand – how to order

When creating a name of a Sand model, you have to give information about its features according to the table below. To make it easier, next to each model in the pricelist there is a ready-to-use name with empty fields that need to be completed according

to a given legend. Particular modules or equipment of particular modules are separated with the "/" symbol. Modules are numbered from left to right.

| Technical drawing | Name | Price group 4 |
|---|--|---------------|
|   | SAND W04-1 WALL: 5/4, H/L, ①/①, ② ② ② ② ② ③, BENCH: 0/2, 0/④, 0/⑤, TABLE: H/L, ⑥/⑥, ⑦/⑦, ⑧/⑧ | 11930 |

- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour
- ⑤ Bench finish colour
- ⑥ Type and orientation of an electric port in a table
- ⑦ Table top colour
- ⑧ Table base colour







**SAND W04-1 WALL: 5/4, H/L, AHMT.3EU/AHMT.3EU, CUZ1E|CUZ1P|CUZ1P|CUZ1P|CUZ1L, NB,
 BENCH: 0/2, 0/CUZ1E, 0/BI
 TABLE: H/L, AHMPEU/AHMPEU, CA/BI, BI/BI**

| SAMPLE SAND WALL CONFIGURATION | | | | | | |
|----------------------------------|--|---|--------------------------|--|--|---|
| | model version | number of levels (counting from the bottom) | integration with a table | electric port/screen handle | colours | wall cover colour |
| Available options | | | L – low H – high | 0 – without a port AHMT.3FR AHMT.3EU AHMT.3GB TV.S TV.R | colours of particular levels including the upholstery type | colour from the available palette of finishes |
| Component name | w16-2 | WALL: 4/5 | L/H | AHMT.3EU/AHMT.3EU | CUZ28 CUZ28 CUZ28 CUZ1P CUZ1L | NB |
| Full name (notation) of a module | SAND W16-2 WALL: 4/5, L/H, AHMT.3EU/AHMT.3EU, CUZ28 CUZ28 CUZ28 CUZ1P CUZ1L, NB | | | | | |











| SAMPLE BENCH CONFIGURATION | | | |
|----------------------------------|----------------------------------|----------------------------|---|
| | number of benches | upholstery | finish upholstery |
| Available versions | | upholstery type and colour | colour from the available palette of finishes |
| Component name | 2/0 | CUZ1E/0 | BI/0 |
| Full name (notation) of a module | BENCH: 2/0, CUZ1E/0, BI/0 | | |

| SAMPLE TABLE CONFIGURATION | | | | | |
|----------------------------------|-------------------------------------|--|---|---|---|
| | table type | electric port type | port orientation | table top colour | base colour (low table) |
| Available versions | L – low H – high | 0 – without a port AHMPFR AHMPEU AHMPGB AHMT.3FR AHMT.3EU AHMT.3GB | P – perpendicular to the wall R – parallel to the wall | colour from the available palette of finishes | colour from the available palette of finishes |
| Component name | L | AHMT.3GB | P | BI | BI |
| Full name (notation) of a module | TABLE: L, AHMT.3GB-P, BI, BI | | | | |

| Technical drawing | Name | Price group 4 |
|---|---|---------------|
|  | <p>SAND W01-0 WALL: 5, 0, 0, ② ② ② ② ②, ③</p> <p>HEIGHT: 2 000 mm (5 levels) WIDTH: 2 340 mm DEPTH: 1 700 mm</p> | |
|  | <p>SAND W01-1 WALL: 5, H, ①, ② ② ② ② ②, ③, TABLE: H, ⑥, ⑦, ⑧</p> <p>HEIGHT: 2 000 mm (5 levels) WIDTH: 2 340 mm DEPTH: 1 700 mm</p> | |
|  | <p>SAND W02-0 WALL: 5, 0, 0, ② ② ② ② ②, ③</p> <p>HEIGHT: 2 000 mm (5 levels) WIDTH: 2 340 mm DEPTH: 1 700 mm</p> | |
|  | <p>SAND W02-1 WALL: 5, H, ①, ② ② ② ② ②, ③, TABLE: H, ⑥, ⑦, ⑧</p> <p>HEIGHT: 2 000 mm (5 levels) WIDTH: 2 340 mm DEPTH: 1 700 mm</p> | |






- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour

- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

| Technical drawing | Name | Price group 4 |
|---|--|---------------|
|   | <p>SAND W03-0 WALL: 4, 0, 0, 2 2 2 2, 3 HEIGHT: 1600 mm (4 levels) WIDTH: 2350 mm DEPTH: 1700 mm</p> | |
|   | <p>SAND W03-1 WALL: 4, L, 1, 2 2 2 2, 3, BENCH: 2, 4, 5, TABLE: L, 6, 7, 8 HEIGHT: 1600 mm (4 levels) WIDTH: 2350 mm DEPTH: 1700 mm</p> | |
|   | <p>SAND W03-2 WALL: 5, L(H), 1(1), 2 2 2 2 2, 3, BENCH: 2(0), 4, 5, TABLE: L, 6, 7, 8(H, 6, 7, 8) HEIGHT: 2000 mm (5 levels) WIDTH: 2350 mm DEPTH: 1700 mm</p> | |
|   | <p>SAND W04-0 WALL: 5/4, 0/0, 0/0, 2 2 2 2 2, 3 HEIGHT: 2000/1600 mm (5/4 level) WIDTH: 2350 mm DEPTH: 3250 mm</p> | |
|   | <p>SAND W04-1 WALL: 5/4, H/L, 1 1, 2 2 2 2 2, 3, BENCH: 0/2, 0/4, 0/5, TABLE: H/L, 6 6, 7 7, 8 8 HEIGHT: 2000/1600 mm (5/4 level) WIDTH: 2350 mm DEPTH: 3250 mm</p> | |







- 1 Media
- 2 Upholstery type and colour (wall)
- 3 Wall cover colour
- 4 Bench upholstery type and colour

- 5 Bench finish colour
- 6 Type and orientation of electrical port
- 7 Table top colour
- 8 Table base colour

| Technical drawing | Name | Price group 4 |
|---|---|---------------|
|  | <p>SAND W05-0 WALL: 4/5, 0/0, 0/0, ② ② ② ② ②, ③</p> <p>HEIGHT: 1600/2000 mm (4/5 levels) WIDTH: 2350 mm DEPTH: 3250 mm</p> | |
|  | <p>SAND W05-1 WALL: 4/5, L/H, ① ①, ② ② ② ② ②, ③, BENCH: 2/0, ④ 0, ⑤ 0, TABLE: L/H, ⑥ ⑥, ⑦ ⑦, ⑧ ⑧</p> <p>HEIGHT: 1600/2000 mm (4/5 levels) WIDTH: 2350 mm DEPTH: 3250 mm</p> | |
|  | <p>SAND W06-0 WALL: 4/4, 0/0, 0/0, ② ② ② ②, ③</p> <p>HEIGHT: 1600 mm (4 levels) WIDTH: 2350 mm DEPTH: 3250 mm</p> | |
|  | <p>SAND W06-1 WALL: 4/4, L/L, ① ①, ② ② ② ②, ③, BENCH: 2/2, ④ ④, ⑤ ⑤, TABLE: L/L, ⑥ ⑥, ⑦ ⑦, ⑧ ⑧</p> <p>HEIGHT: 1600 mm (4 levels) WIDTH: 2350 mm DEPTH: 3250 mm</p> | |
|  | <p>SAND W06-2 WALL: 5/5, H/L, ① ①, ② ② ② ② ②, ③, BENCH: 0/2, 0/④, 0/⑤, TABLE: H/L, ⑥ ⑥, ⑦ ⑦, ⑧ ⑧</p> <p>HEIGHT: 2000 mm (5 levels) WIDTH: 2350 mm DEPTH: 3250 mm</p> | |

- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour


- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

| Technical drawing | Name | Price group 4 |
|---|--|---------------|
|  | <p>SAND W07-0 WALL: 5/5, 0/0, 0/0, 2 2 2 2 2, 3 HEIGHT: 2 000 mm (5 levels) WIDTH: 4 280 mm DEPTH: 1 700 mm</p> | |
|  | <p>SAND W07-1 WALL: 5/5, H/H, 1 1, 2 2 2 2 2, 3, TABLE: H/H, 6 6, 7 7, 8 8 HEIGHT: 2 000 mm (5 levels) WIDTH: 4 280 mm DEPTH: 1 700 mm</p> | |
|  | <p>SAND W08-0 WALL: 5/5, 0/0, 0/0, 2 2 2 2 2, 3 HEIGHT: 2 000 mm (5 levels) WIDTH: 4 280 mm DEPTH: 1 700 mm</p> | |
|  | <p>SAND W08-1 WALL: 5/5, H/H, 1 1, 2 2 2 2 2, 3, TABLE: H/H, 6 6, 7 7, 8 8 HEIGHT: 2 000 mm (5 levels) WIDTH: 4 280 mm DEPTH: 1 700 mm</p> | |
|  | <p>SAND W09-0 WALL: 5/5, 0/0, 0/0, 2 2 2 2 2, 3 HEIGHT: 2 000 mm (5 levels) WIDTH: 4 420 mm DEPTH: 1 700 mm</p> | |
|  | <p>SAND W09-1 WALL: 5/5, H/L, 1 1, 2 2 2 2 2, 3 BENCH: 0/2, 0/4, 0/5, TABLE: H/L, 6 6, 7 7, 8 8 HEIGHT: 2 000 mm (5 levels) WIDTH: 4 420 mm DEPTH: 1 700 mm</p> | |

Technical drawing

Name

Price group 4


**SAND W10-0**

WALL: 5/5, 0/0, 0/0, 2|2|2|2|2, 3

HEIGHT: 2 000 mm (5 levels)

WIDTH: 4 420 mm

DEPTH: 1 700 mm

**SAND W10-1**

WALL: 5/5, H/L, 1|1, 2|2|2|2|2, 3,


BENCH: 0/2, 0/4, 0/5,

TABLE: H/L, 6|6, 7|7, 8|8

HEIGHT: 2 000 mm (5 levels)

WIDTH: 4 420 mm

DEPTH: 1 700 mm


**SAND W11-0**

WALL: 4/4, 0/0, 2|2|2|2, 3

HEIGHT: 1 600 mm (4 levels)

WIDTH: 4 550 mm

DEPTH: 1 700 mm

**SAND W11-1**

WALL: 5/5, L/H, 1|1, 2|2|2|2|2, 3,


BENCH: 2/0, 4|0, 5|0,

TABLE: L/H, 6|6, 7|7, 8|8

HEIGHT: 2 000 mm (5 levels)

WIDTH: 4 550 mm

DEPTH: 1 700 mm

**SAND W11-2**


WALL: 5/5, H/H, 1|1, 2|2|2|2|2, 3,

TABLE: H/H, 6|6, 7|7, 8|8

HEIGHT: 2 000 mm (5 levels)

WIDTH: 4 550 mm

DEPTH: 1 700 mm

**SAND W11-3**

WALL: 4/4, L/L, 1|1, 2|2|2|2, 3,







BENCH: 2/2, 4|4, 5|5,

TABLE: L/L, 6|6, 7|7, 8|8

HEIGHT: 1 600 mm (4 levels)

WIDTH: 4 550 mm

DEPTH: 1 700 mm

| Technical drawing | Name | Price group 4 |
|---|--|---------------|
|  | <p>SAND W12-0 WALL: 4/4, 0/0, 0/0, ② ② ② ②, ③ HEIGHT: 1600 mm (4 levels) WIDTH: 4550 mm DEPTH: 1700 mm</p> | |
|  | <p>SAND W12-1 WALL: 5/5, L/H, ① ①, ② ② ② ②, ③, BENCH: 2/0, ④ 0, ⑤ 0, TABLE: L/H, ⑥ ⑥, ⑦ ⑦, ⑧ ⑧ HEIGHT: 2000 mm (5 levels) WIDTH: 4550 mm DEPTH: 1700 mm</p> | |
|  | <p>SAND W12-2 WALL: 5/5, H/H, ① ①, ② ② ② ②, ③, TABLE: H/H, ⑥ ⑥, ⑦ ⑦, ⑧ ⑧ HEIGHT: 2000 mm (5 levels) WIDTH: 4550 mm DEPTH: 1700 mm</p> | |
|  | <p>SAND W12-3 WALL: 4/4, L/L, ① ①, ② ② ② ②, ③, BENCH: 2/2, ④ ④, ⑤ ⑤, TABLE: L/L, ⑥ ⑥, ⑦ ⑦, ⑧ ⑧ HEIGHT: 1600 mm (4 levels) WIDTH: 4550 mm DEPTH: 1700 mm</p> | |
|  | <p>SAND W13-0 WALL: 5, 0/0, 0/0, ② ② ② ②, ③ HEIGHT: 2000 mm (5 levels) WIDTH: 4280 mm DEPTH: 1700 mm</p> | |
|  | <p>SAND W14-0 WALL: 5, 0/0, 0/0, ② ② ② ②, ③ HEIGHT: 2000 mm (5 levels) WIDTH: 4280 mm DEPTH: 1700 mm</p> | |


- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour

- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

Technical drawing

Name

Price group 4


**SAND W15-0**

WALL: 5, 0/0, 0/0, ②|②|②|②|②, ③

HEIGHT: 2000 mm (5 levels)

WIDTH: 4420 mm

DEPTH: 1700 mm


**SAND W16-0**

WALL: 5/4, 0/0, 0/0, ②|②|②|②|②, ③

HEIGHT: 2000/1600 mm (5/4 level)

WIDTH: 4550 mm

DEPTH: 1700 mm

**SAND W16-1**

WALL: 5/4, H/L, ①|①, ②|②|②|②|②, ③


BENCH: 0/2, 0/4, 0/5,

TABLE: H/L, ⑥/⑥, ⑦/⑦, ⑧/⑧

HEIGHT: 2000/1600 mm (5/4 level)

WIDTH: 4550 mm

DEPTH: 1700 mm

**SAND W16-2**

WALL: 4/5, L/H, ①|①, ②|②|②|②|②, ③


BENCH: 2/0, ④/0, ⑤/0,

TABLE: L/H, ⑥/⑥, ⑦/⑦, ⑧/⑧

HEIGHT: 1600/2000 mm (4/5 levels)

WIDTH: 4550 mm

DEPTH: 1700 mm

**SAND W16-3**

WALL: 4/4, L/L, ①|①, ②|②|②|②|②, ③

BENCH: 2/2, ④/④, ⑤/⑤,

TABLE: L/L, ⑥/⑥, ⑦/⑦, ⑧/⑧

HEIGHT: 1600 mm (4 levels)


WIDTH: 4550 mm

DEPTH: 1700 mm


- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour

- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour


| Technical drawing | Name | Price group 4 |
|-------------------|------|---------------|
|-------------------|------|---------------|




SAND W17-0
WALL: 5, 0, 0, ②|②|②|②|②, ③
HEIGHT: 2000 mm (5 levels)
WIDTH: 6480 mm
DEPTH: 1700 mm



SAND W18-0
WALL: 4/5/4, 0/0/0, 0/0/0, ②|②|②|②|②, ③
HEIGHT: 1600/2000/1600 mm (4/5/4 level)
WIDTH: 6750 mm
DEPTH: 1700 mm



SAND W18-1
WALL: 4/5/4, L/H/L, ①|①|①, ②|②|②|②|②, ③,
BENCH: 2/0/2, ④|0/④, ⑤|0/⑤,
TABLE: L/H/L, ⑥|⑥|⑥, ⑦|⑦|⑦, ⑧|⑧|⑧
HEIGHT: 1600/2000/1600 mm (4/5/4 level)
WIDTH: 6750 mm
DEPTH: 1700 mm




SAND W18-2
WALL: 4/4/4, L/L/L, ①|①|①, ②|②|②|②|②, ③,
BENCH: 2/2/2, ④|④|④, ⑤|⑤|⑤,
TABLE: L/L/L, ⑥|⑥|⑥, ⑦|⑦|⑦, ⑧|⑧|⑧
HEIGHT: 1600 mm (4 levels)
WIDTH: 6750 mm
DEPTH: 1700 mm

- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour

- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

Pouffes

| Technical drawing | Name | |
|---|---|---------------------|
|  | SAND POUFFE (w: ①, D: ②, H: 450, ③, ④) | |
| | DEPTH: 450 | WIDTH: 450 |
| | | WIDTH: 750 |
| | | WIDTH: 900 |
| | | WIDTH: 1 120 |
| | | WIDTH: 1 500 |
| | | WIDTH: 1 650 |
| DEPTH: 900 | WIDTH: 1 500 | |
| DEPTH: 1 050 | WIDTH: 1 050 | |

- ① Width
- ② Depth
- ③ Type and colour of upholstery
- ④ Type of glides / castors:
 - SHH - Castors for hard floors
 - SH - Castors for soft floors
 - GRG1 - glides

Accessories

NETBOX POINT ELECTRICAL PORT (AHMP)



Media port Netbox Point (for mounting in a table top)
2 × 230v 2 × RJ45 CAT6 AH3FR
COLOUR: alu

NETBOX TURN COMFORT ELECTRICAL PORT (AHMT.3)



Media port Netbox Turn Comfort (for mounting on the wall or in a table top).
Ø 80 1 × 230 v 1 × RJ45 1 × USB AHFR
COLOUR: chrome mat

ADJUSTABLE TV HANDLE (F120B)







Mounting TV handle excludes mounting the Netbox Point port in the wall.
COLOUR: black

FIXED TV HANDLE (NBC1-F)



Mounting TV handle excludes mounting the Netbox Point port in the wall.
COLOUR: black

Reception

| Technical drawing | Name | DEPTH | WIDTH |
|---|--|---------|---------|
|  | <p>SAND RECEPTION R01-1 W: ❶, D: 900, H: 1200, ❷ ❷ ❷, ❸</p> <p>RECEPTION FOR 1 DESK HEIGHT: 1200 mm 3 levels FOR DESKS WITH A MAX. DEPTH: 600 mm</p> | 900 mm | 1920 mm |
| | | | 2120 mm |
| | | | 2320 mm |
| | | | 2720 mm |
|  | <p>SAND RECEPTION R02-1 W: ❶, D: 900, H: 1200, ❷ ❷ ❷, ❸</p> <p>RECEPTION FOR 2 DESKS HEIGHT: 1200 mm 3 levels FOR DESKS WITH A MAX. DEPTH: 600 mm</p> | 900 mm | 3120 mm |
| | | | 3520 mm |
| | | | 1920 mm |
|  | <p>SAND RECEPTION R01-2 W: ❶, D: 1100, H: 1200, ❷ ❷ ❷, ❸</p> <p>RECEPTION FOR 1 DESK HEIGHT: 1200 mm 3 levels FOR DESKS WITH A MAX. DEPTH: 800 mm</p> | 1100 mm | 2120 mm |
| | | | 2320 mm |
| | | | 2720 mm |
| | | | 3120 mm |
|  | <p>SAND RECEPTION R02-2 W: ❶, D: 1100, H: 1200, ❷ ❷ ❷, ❸</p> <p>RECEPTION FOR 2 DESKS HEIGHT: 1200 mm 3 levels FOR DESKS WITH A MAX. DEPTH: 800 mm</p> | 1100 mm | 3520 mm |

- ❶ Width
- ❷ Type and colour of upholstery
- ❸ Cover colour