



@-sense

NOWY STYL GROUP®

MATERIAALIT

Ristikkojalka mustaa polyamidia. Istuin pehmustettua vaneria. Selkänoja Bondai- tai mesh-kangasta.

SÄÄTÖMAHDOLLISUUDET

Synkromekanismi istuimen syvyyssäädöllä. Selkänojan kallistuksen säätö. Anti Shock -ominaisuus.

LISÄVAIHTOEHDOT

2D-, 3D- tai 4D -käsinojat.


TAKUU

Tuotteilla on 3 vuoden takuu.

Additional equipment/information			Symbol
Black fixed armrests with pads made of polyurethane	Options for black version	Armrests	GTP57K2
Height adjustable armrests made of black plastic			R35K2
2-D armrests made of black plastic			R35K2-SB2
3-D armrests made of black plastic			R35K3
4-D armrests made of black plastic			R35K3-SB2
White backrest frame, white connector, white base TS25W	Options for white version	W	W1
White backrest frame, white connector			W2
White backrest frame			W3
White fixed armrests with pads made of polyurethane		Armrests	GTP57K2-W
Height adjustable armrests made of black and white plastic			R35K2-W/B
2-D armrests made of black and white plastic			R35K2-W/B-SB2
3-D armrests made of black and white plastic			R35K3-W/B
4-D armrests made of black and white plastic			R35K3-W/B-SB2
Seat depth adjustment (FS mechanism)		Mechanisms	FST
Seat depth adjustment (LP11 mechanism)			LP11T
Seat depth and negative seat inclination adjustment (LP11 mechanism)			LP11TN
Ø50 mm self-braking castors for hard surfaces	Options for all models	Castors	SHH
Ø60 mm self-braking castors for soft surfaces			ESH
Ø60 mm self-braking castors for hard surfaces			ESHH
Injected foam on seat		Foam	PW

Apart from the product number/code, please specify option symbol, fabric and finish codes to complete an order.





ARMREST DIMENSION FOR @-SENSE CHAIRS

	ARMREST TYPE	DIMENSION [mm]				WEIGHT [kg]
		A*	B	C	D	
	GTP57K2	225	225	460	620	1.25
	R35K2	200-280	225	490	650	1.60
	R35K3	220-300	230	480	660	1.80
	R35K2 SB2	190-270	225	460-510	620-670	2.45
	R35K3 SB2	210-290	230	450-500	630-680	2.65

* Dimensions measured under load in accordance with the EN standard.

Each gas lift used in chairs and armchairs of the Nowy Styl Group offer has GS certificate.
GS sign marked on the particular chair indicates that this certificate concerns the whole chair.

@-SENSE SWIVEL CHAIRS

Model	Description	Price group				
		1	2	3	4	5
@-SENSE-BL FS 	Swivel chair with synchronous mechanism (FS). Mesh backrest, mesh in black. Upholstered seat, seat sides in selected upholstery, black. Chair without armrests (RTS). Polyamide base (TS25-BL). Ø 50 mm self-braking castors for soft surfaces (SH). Black version – elements in black: backrest frame, connector, base, gaslift.	Bondai, Lucia, Sempre, Kaiman	Era. Microfibra, Contract, Nexus, Valencia, Xtreme	Oxygen	Synergy	Leather LE, Leather SD
@-SENSE-PLUS-BL FS 	Swivel chair with synchronous mechanism (FS). Upholstered backrest with decorative element welded ultrasonically. Upholstered seat, seat sides in selected upholstery, black. Chair without armrests (RTS). Polyamide base (TS25-BL). Ø 50 mm self-braking castors for soft surfaces (SH). Black version – elements in black: backrest frame, connector, base, gaslift.	Available only in Bondai: BN1005, BN4011, BN6016, BN8033, BN8010				
@-SENSE-BL LP11 	Swivel chair with synchronous mechanism (LP11). Mesh backrest, mesh in black. Upholstered seat, seat sides in selected upholstery, black. Chair without armrests (RTS). Polyamide base (TS25-BL). Ø 50 mm self-braking castors for soft surfaces (SH). Black version – elements in black: backrest frame, connector, base, gaslift.	Bondai, Lucia, Sempre, Kaiman	Era. Microfibra, Contract, Nexus, Valencia, Xtreme	Oxygen	Synergy	Leather LE, Leather SD
@-SENSE-PLUS-BL LP11 	Swivel chair with synchronous mechanism (LP11). Upholstered backrest with decorative element welded ultrasonically. Upholstered seat, seat sides in selected upholstery, black. Chair without armrests (RTS). Polyamide base (TS25-BL). Ø 50 mm self-braking castors for soft surfaces (SH). Black version – elements in black: backrest frame, connector, base, gaslift.	Available only in Bondai: BN1005, BN4011, BN6016, BN8033, BN8010				

FS synchronous mechanism

Functions of the mechanism:

- free floating – the backrest and seat tilt synchronously,
- backrest tilt angle of 33 ° synchronised with the seat tilt of 11 °, *
- possibility of backrest lock in 5 positions,
- adjustable backrest tilt force by means of a bolt,
- adjustable seat depth – 50 mm (additional option),
- Anti-Shock – a feature protecting the user's back from being hit by the backrest after the lock is released
- adjustable backrest height – 70 mm,
- smoothly adjustable chair height with a pneumatic lift.