
CAFE VII

NowyStyl

PRICE LIST – MEETING CHAIRS

Model	Description	OVH (EUR, sis. alv)
		Wood
	**CAFE VII GTS ST20** Swivel chair, without armrests. Wooden shell. Chair height adjustable by means of pneumatic gas lift. Ø 600 mm five-star chromium plated steel base (ST20-CR). Ø 50 mm castors for soft floors (SH).	**281**

OPTIONS – MEETING CHAIRS

Options	Code	Lisähinta (EUR, sis. alv)					
		Upholstery price group					
		0	1	2	3	4	5
Wooden shell with upholstered seat pad (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	SEAT PLUS *	**25**	**28**	**30**	**35**	**43**	**60**
Wooden shell with upholstered seat pad and backrest pad (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	PLUS *	**38**	**43**	**50**	**65**	**73**	**98**
Wooden shell with front part fully upholstered (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	B-PLUS *	**60**	**65**	**73**	**80**	**85**	**120**
Fully upholstered shell (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	A-PLUS*	**43**	**48**	**60**	**68**	**73**	**98**
Wooden shell or shell with armpads made of stained wood (applicable to CAFE VII, CAFE VII ARM, CAFE VII HOCKER, CAFE VII UP&DOWN, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	xxxx**	**25**					
Laminated wooden shell or shell with armpads (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	LAMINAT***	**33**					
Castors – Ø 50 mm for hard floors (dedicate to CAFE VII GTS / GTP)	SHH	**0**					
Castors – Ø 65 mm for soft floors (dedicate to CAFE VII GTS / GTP)	ESH	**40**					
Castors – Ø 65 mm for hard floors (dedicate to CAFE VII GTS / GTP)	ESHH	**40**					

* For stacking purposes stacking cushion strongly recommended, to be ordered separately, see options


** Please specify colour code of wood – see finishes

*** Please specify colour code of laminate – see finishes

PRICE GROUP:
0: Basic*, Micro, Imitation Leather
1: Bondai, Era, Lars FR***, Lucia**, Oflum, Sempre/Sempre Melange
2: Cura, Cura Loop, Rivet, Valencia, Xtreme
3: Silvertex, Split Leather (SP)*, Step/Step Melange
4: Blazer, Main Line Flax, Oceanic, skai Parotega, Synergy
5: Remix 3

* Fabric not applicable to A-PLUS and B-PLUS versions
** Fabric not applicable to A-PLUS version
*** Fabric not applicable to B-PLUS version

1. Dimensions / Weight



CAFE VII GTS

2. Materials / Versions

2.1. Frame

2.1.1. Frame

4-leg frame – made of Ø 16 × 2.0 mm steel tube, seat-fixing made of metal sheet, thickness 3 mm.
Sled frame (CFS ROD) – made of Ø 11 mm steel rod, support bar made of flat metal sheet 5 × 25 mm.
HOCKER sled frame – made of Ø 18 × 1.5 mm steel tube.
UP&DOWN base – a column made of Ø 60 mm steel tube, base made of Ø 470 mm metal plate with upper metal sheet, thickness 8 mm.
Finish options:
4L , 4L ARM:
- chromium plated (CR),
- powder-coated in White Aluminium RAL 9006 colour (ALU),
- powder-coated in Jet Black RAL 9005 colour (BL),
- powder-coated in Traffic White RAL 9016 (WT)/ Anthracite Grey RAL 7016 (AH)
- powder-coated in Vermilion Red RAL 030 50 40 (VR), Ochre Yellow RAL 1024 (OY), Cashmere NCS S 2005-Y60R (NK), Violet Blue RAL 5000 (VB) or Olive Green RAL 6003 (OG).

HOCKER:
- chromium plated (CR),
- powder-coated in White Aluminium RAL 9006 colour (ALU),
- powder-coated in Jet Black RAL 9005 colour (BL),
- powder-coated in Traffic White RAL 9016 (WT), Anthracite Grey RAL 7016 (AH)
- powder-coated in Vermilion Red RAL 030 50 40 (VR), Ochre Yellow RAL 1024 (OY), Cashmere NCS S 2005-Y60R (NK), Violet Blue RAL 5000 (VB) or Olive Green RAL 6003 (OG).

CFS-ROD:
- chromium plated (CR),
- powder-coated in White Aluminium RAL 9006 colour (ALU),
- powder-coated in Jet Black RAL 9005 colour (BL),
- powder-coated in Vermilion Red RAL 030 50 40 (VR), Ochre Yellow RAL 1024 (OY), Cashmere NCS S 2005-Y60R (NK), Violet Blue RAL 5000 (VB) or Olive Green RAL 6003 (OG).

UP&DOWN:
- chromium plated (CR).

LGW – made of beech wood, diameter 30 × 43 mm, from top to bottom, respectively.
Swivel chair base:
- Ø 680 five-star base black glass fiber reinforced polyamide (TS18),
- Ø 680 mm five-star aluminium powdercoated in White Aluminium RAL 9006 colour (ST32-ALU),
- Ø 680 mm five-star polished aluminium with chrome effect (ST32-CR).

Stacking:
4L, 4L ARM WOOD – 4 pieces,
4L, 4L ARM A-PLUS; B-PLUS, SEAT PLUS, PLUS – 4 pieces (only with stacking cushion),
CFS ROD A-PLUS; B-PLUS; PLUS;
SEAT PLUS – 4 pieces (only with stacking cushion),
CFS ROD WOOD – 10 pieces.
LGW - non-stackable.
Universal chair cart available.

2.1.2. Click / link

CLICK – Ø 5 mm steel rod integrated with the frame to connect CAFE VII chairs (without armrest only) into rows.
UNIVERSAL ROW CONNECTOR
- dedicated to connect rows of chairs,
- distance adjustment: 460 – 520 mm,
- possibility of mounting to the floor,
- powder-coated in Jet Black RAL 9005 (BL) colour.

2.2. Castors / Glides

CAFE VII 4L, 4L ARM, CFS-ROD, HOCKER, LGW
Glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option. Glides for soft floors, white (GW) as an option
CAFE VII UP&DOWN
Glides with felt for hard floors (GBF) as standard.
CAFE VII 4L, 4L ARM
Glides with replaceable caps for soft floors (GBP).
CAFE VII CFS-ROD
Glides for soft floors, transparent (GT) or with felt for hard floors , transparent (GTF) as an option.
Glides with replaceable caps for connecting chairs into rows for soft floors (GBL), or with felt for hard floors (GBLF), both as an option
CAFE VII GTS / GTP
Ø 50 castors for soft floors (SH) as standard, or hard floors (SHH) as an option.
Ø 65 mm castors for soft floors (ESH), or hard floors (ESHH), both as an option.

2.3. Mechanisms

UP&DOWN version – smooth height adjustment of chair with pneumatic gas lift,
GTS, GTP version – smooth height adjustment of chair with pneumatic gas lift (PST45).

2.4. Seat and backrest

Options for CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE VII CFS ROD, CAFE VII LGW:
Wooden shell (WOOD) – made of 8-layer beech plywood, thickness 10.5 mm
Laminated wooden shell (LAMINATE) – made of 8-layer beech plywood, thickness 10.5 mm. Visible plywood edges protected with wax.
Wooden shell with upholstered pad on seat (SEAT-PLUS) – the structure of seat pad is made of 4-layer beech plywood, thickness 4.5 mm, covered with foam thickness 10 mm, density 35 kg / m^3.
Wooden shell with upholstered seat pad and backrest pad (PLUS) – seat and backrest pad structure made of 4-layer beech plywood, thickness 4.5 mm, covered with foam thickness 10 mm, density 25 kg / m^3. Covered with foam thickness 10 mm, density 35 kg / m^3.
Wooden shell with front part fully upholstered (B-PLUS) – structure of pad made of 4-layer beech plywood, thickness 4.5 mm, covered with foam thickness 25 mm, density 25 kg / m^3. Wooden back part of the shell.
Fully upholstered shell (A-PLUS) – structure made of 8-layer beech plywood, thickness 10.5 mm, covered with foam density 25 kg / m^3,thickness 20 mm (front shell); 10 mm (back part of shell).
Options for CAFE VII HOCKER, CAFE VII UP&DOWN:
Wooden shell (WOOD) – made of 7-layer beech plywood, thickness 9 mm
Laminated wooden shell (LAMINATE) – made of 7-layer beech plywood, thickness 9 mm. Visible plywood edges protected with wax.
Fully upholstered shell (A-PLUS) – structure made of 7-layer beech plywood, thickness 9 mm, covered with foam density 25 kg / m^3, thickness 20 mm (front shell); 10 mm (back part of shell).

2.5. Armrests

Options for CAFE VII ARM:
Fixed armrests – integrated with chair frame, armrests frame made of Ø 18 × 2.5 mm steel tube in the same finish as the chair frame, armrest pads made of 8-layer plywood, thickness 12 mm.
Finish options for armrest pads:
- stained (NF-xx),
- laminated (NF-xx).

CAFE VII ARM – chair can be hung on the table top due to protective distances under the arm to prevent the table top from being scratched.
Options for CAFE VII GTP:
Fixed armrests – integrated with chair frame, armrests frame made of Ø 18 × 2.5 mm steel tube, armrest pads made of 8-layer plywood, thickness 12 mm.
Finish options for armrest frame:
- chromium plated (CR),
- powder-coated in White Aluminium RAL 9006 colour (ALU),
- powder-coated in Jet Black RAL 9005 colour (BL),

Finish options for armrest pads:
- stained (NF-xx),
- laminated (NF-xx).

3. Packaging

4L / 4LARM – 4 pieces per box (assembled),
4L / 4L ARM A PLUS, B PLUS – 2 pieces per box (assembled),
CFS ROD – 4 pieces per box (assembled),
Hocker – 1 piece per box (disassembled),
UP&DOWN – 1 piece per box (assembled),
GTS, GTP – 1 piece per box (disassembled),
LGW – 2 pieces per box (dissassembled)

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

REMODEX test report – 110 kg – norm EN 16139.

SHELL SHAPE		CAFE VII	LANTANA	VERBENA	CAFE IV	CAFE VI	CAFE II
	Model						
Seat	WOOD	●	●	●	●	●	●
	LAMINATE	●	●	●	●	●	●
Upholstered version	PLUS	●				●	
	SEAT PLUS	●	●	●	●	●	●
	A PLUS	●					
	B PLUS	●					

● available versions

Upholstered versions			
PLUS	SEAT PLUS	A PLUS	B PLUS
			