



CAFE VII

NowyStyl

PRICE LIST – MEETING CHAIRS

Model	Description	OVH (EUR, sis. alv)
		Wood
	**CAFE VII 4L** 4-leg frame chair, without armrests. Wooden shell. Steel frame, powder-coated in Jet black colour RAL 9005 (BL). Plastic glides (GB).	**181**
	**CAFE VII 4L ARM** 4-leg frame chair, with armrests. Wooden shell and armpads. Steel frame, powder-coated in Jet black colour RAL 9005 (BL). Plastic glides (GB).	**221**
	**CAFE VII LGW** 4-leg frame chair, without armrests. Wooden shell. Wooden frame, made of beech wood (1.007). Plastic glides (GB).	**457**
	**CAFE VII HOCKER** Barstool with sled base. Wooden shell. Steel frame, powder-coated in Jet black colour RAL 9005 (BL). Plastic glides (GB).	**223**
	**CAFE VII UP&DOWN** Barstool with column. Wooden shell. Height adjustment by means of pneumatic gas lift. Chromium plated steel base. Glides with felt (GBF).	**633**
	**CAFE VII GTS** Swivel chair, without armrests. Wooden shell. Chair height adjustable by means of pneumatic gas lift. Ø 680 mm five-star black polyamide base (TS18). Ø 50 mm castors for soft floors (SH).	**316**
	**CAFE VII GTP** Swivel chair, with armrests powder-coated in Jet black colour RAL 9005 (BL). Wooden shell and armpads (GTP59-BL-xx). Chair height adjustable by means of pneumatic gas lift. Ø 680 mm five-star black polyamide base (TS18). Ø 50 mm castors for soft floors (SH).	**356**
	**CAFE VII CFS ROD** Frame chair with sled base, without armrests. Wooden shell. Frame powder-coated in Jet black colour RAL 9005 (BL). Plastic glides (GB).	**226**
	**UNIVERSAL ROW CONNECTOR** Row distance adjustment (460 – 520 mm) for CAFE VII 4-leg without armrest versions. Fixing to the floor as an option. The connector is powder-coated in Jet Black RAL 9005 (BL) colour.	**100**
	UNIVERSAL CHAIR CART – See CART TABLE	**354**

CAFE VII

NowyStyl

OPTIONS – MEETING CHAIRS

Options	Code	Lisähinta (EUR, sis. alv)					
		Upholstery price group					
		0	1	2	3	4	5
Wooden shell with upholstered seat pad (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	SEAT PLUS *	25	28	30	35	43	60
Wooden shell with upholstered seat pad and backrest pad (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	PLUS *	38	43	50	65	73	98
Wooden shell with front part fully upholstered (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	B-PLUS *	60	65	73	80	85	120
Fully upholstered shell (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	A-PLUS*	43	48	60	68	73	98
Fully upholstered shell (applicable to CAFE VII HOCKER, CAFE VII UP&DOWN)	A-PLUS HOCKER	20	25	28	30	35	48
Stacking cushion (applicable to upholstered seat versions of CAFE VII, CAFE VII ARM)	—	38					
Wooden shell or shell with armpads made of stained wood (applicable to CAFE VII, CAFE VII ARM, CAFE VII HOCKER, CAFE VII UP&DOWN, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	xxxx**	25					
Stained wood armpads (applicable to CAFE VII ARM, CAFE VII GTP A-PLUS)	xxxx**	15					
Laminated wooden shell or shell with armpads (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE LGW, CAFE CFS-ROD)	LAMINAT***	33					
Laminated wooden shell (applicable to CAFE VII HOCKER, CAFE VII UP&DOWN)	LAMINAT***	23					
Laminated wooden armrest pads (applicable to CAFE VII ARM, CAFE VII GTP A-PLUS)	NF-LAMINAT***	20					
Frame 4L chromium plated	CR	18					
Frame 4L powder-coated in White Aluminium RAL 9006, Traffic White RAL 9016, Anthracite Grey RAL 7016, Vermilion Red RAL 030 50 40, Ochre Yellow RAL 1024, Cashmere NSC S 2005-Y60R, Violet Blue RAL 5000, Olive Green RAL 6003	ALU/WT/AH/VR/ OY/NK/VB/OG	0					
Frame 4-leg stained wood	xxxx*	23					
Frame 4L-ARM chromium plated	CR	20					
Frame 4L-ARM powder-coated in White Aluminium RAL 9006, Traffic White RAL 9016, Anthracite Grey RAL 7016, Vermilion Red RAL 030 50 40, Ochre Yellow RAL 1024, Cashmere NSC S 2005 Y60R, Violet Blue RAL 500, Olive Green RAL 6003	ALU/WT/AH/VR/ OY/NK/VB/OG	0					
Frame CAFE VII HOCKER chromowana	CR	20					
Frame CAFE VII HOCKER powder-coated in White Aluminium RAL 9006, Traffic White RAL 9016, Anthracite Grey RAL 7016, Vermilion Red RAL 030 50 40, Ochre Yellow RAL 1024, Cashmere NSC S 2005-Y60R, Violet Blue RAL 500, Olive Green RAL 6003	ALU/WT/AH/VR/ OY/NK/VB/OG	0					
Metal link integrated with frame for connecting chairs into rows (dedicated to Cafe VII without arms)	CLICK	48					
Armrest frame powder-coated in White Aluminium RAL 9006 colour, wooden armpads (applicable to CAFE VII GTP)	GTP59-ALU-xx	0					
Armrest frame chromium plated, wooden armpads (applicable to CAFE VII GTP)	GTP59-CR-xx	25					
Frame CFS-ROD chromium plated	CR	23					
Frame CFS-ROD powder-coated in White Aluminium RAL 9006, Traffic White RAL 9016, Anthracite Grey RAL 7016, Vermilion Red RAL 030 50 40, Ochre Yellow RAL 1024, Cashmere NSC S 2005-Y60R, Violet Blue RAL 500, Olive Green RAL 6003 colour	ALU/WT/VR/OY/ NK/VB/OG	0					
Base – Ø 630 mm five-star aluminium powder-coated in White Aluminium RAL 9006 colour (dedicated to CAFE VII GTS and GTP version))	ST32-ALU	68					
Base – Ø 630 mm five-star polished aluminium with chrome effect (dedicated to CAFE VII GTS and GTP version)	ST32-CR	83					
Glides with felt for hard floors (applicable to CAFE VII 4L , CAFE VII ARM, CAFE VII Hocker,)	GBF	20					
Self-leveling glides for soft floors (applicable to CAFE VII 4L, CAFE VII ARM)	GBP	23					
Plastic glides (PP), white colour (applicable to CAFE VII 4L, CAFE VII ARM)	GW	15					
Glides made of transparent plastic (PC) (applicable to CAFE CFS ROD)	GT	0					
Glides made of transparent plastic (PC) – glued with felt (applicable to CAFE CFS ROD)	GTF	20					
Plastic glides (PP) with replaceable plastic cap – version with link – black colour (applicable to CAFE CFS ROD)	GBL	18					
Plastic glides (PP) with replaceable plastic cap – glued with felt – version with link – black colour (applicable to CAFE CFS ROD)	GBLF	23					
Castors – Ø 50 mm for hard floors (dedicate to CAFE VII GTS / GTP)	SHH	0					
Castors – Ø 65 mm for soft floors (dedicate to CAFE VII GTS / GTP)	ESH	40					
Castors – Ø 65 mm for hard floors (dedicate to CAFE VII GTS / GTP)	ESHH	40					

* For stacking purposes stacking cushion strongly recommended, to be ordered separately, see options


** Please specify colour code of wood – see finishes

*** Please specify colour code of laminate – see finishes


PRICE GROUP:
0: Basic*, Micro, Imitation Leather
1: Bondai, Era, Lars FR***, Lucia**, Oflum, Sempre/Sempre Melange
2: Cura, Cura Loop, Rivet, Valencia, Xtreme
3: Silvertex, Split Leather (SP)*, Step/Step Melange
4: Blazer, Main Line Flax, Oceanic, skai Parotega, Synergy
5: Remix 3

* Fabric not applicable to A-PLUS and B-PLUS versions
** Fabric not applicable to A-PLUS version
*** Fabric not applicable to B-PLUS version


1. Dimensions / Weight



CAFE VII 4L




CAFE VII 4L ARM




CAFE VII LGW




CAFE VII HOCKER




CAFE VII UP&DOWN



CAFE VII GTS



CAFE VII GTP



CAFE VII CFS ROD

	Dimensions (mm)												Weight (kg)
Model	**A**	**A1**	**B**	**C**	**D**	**E**	**F**	**G**	**H**	**K**	**V**	**L**	
CAFE VII 4L	450	430	415	415	395	840	320	—	—	500	500	540	4.9
CAFE VII 4L ARM	450	430	415	415	395	840	320	—	465	500	555	540	6.3
CAFE VII LGW	455	445	415	415	395	845	320	—	—	450	450	540	4.8
CAFE VII HOCKER	745	735	405	405	370	870	345	—	—	530	530	524	5.5
CAFE VII CFS ROD	455	435	415	415	395	845	320	—	—	470	470	525	6.0

A – Seat height
A1 – Seat height according to standard EN 16139
B – Seat depth
C – Seat surface depth
D – Seat width
E – Overall height
F – Backrest width
G – Backrest length
H – Armrests height
K – Base width
V – Overall width
L – Overall depth

* Dimensions measured acc. to PN-EN 16139

2. Materials / Versions

2.1. Frame

2.1.1. Frame

4-leg frame – made of Ø 16 × 2.0 mm steel tube, seat-fixing made of metal sheet, thickness 3 mm.
Sled frame (CFS ROD) – made of Ø 11 mm steel rod, support bar made of flat metal sheet 5 × 25 mm.
HOCKER sled frame – made of Ø 18 × 1.5 mm steel tube.
UP&DOWN base – a column made of Ø 60 mm steel tube, base made of Ø 470 mm metal plate with upper metal sheet, thickness 8 mm.
Finish options:
4L , 4L ARM:
- chromium plated (CR),
- powder-coated in White Aluminium RAL 9006 colour (ALU),
- powder-coated in Jet Black RAL 9005 colour (BL),
- powder-coated in Traffic White RAL 9016 (WT)/ Anthracite Grey RAL 7016 (AH)
- powder-coated in Vermilion Red RAL 030 50 40 (VR), Ochre Yellow RAL 1024 (OY), Cashmere NCS S 2005-Y60R (NK), Violet Blue RAL 5000 (VB) or Olive Green RAL 6003 (OG).

HOCKER:
- chromium plated (CR),
- powder-coated in White Aluminium RAL 9006 colour (ALU),
- powder-coated in Jet Black RAL 9005 colour (BL),
- powder-coated in Traffic White RAL 9016 (WT), Anthracite Grey RAL 7016 (AH)
- powder-coated in Vermilion Red RAL 030 50 40 (VR), Ochre Yellow RAL 1024 (OY), Cashmere NCS S 2005-Y60R (NK), Violet Blue RAL 5000 (VB) or Olive Green RAL 6003 (OG).

CFS-ROD:
- chromium plated (CR),
- powder-coated in White Aluminium RAL 9006 colour (ALU),
- powder-coated in Jet Black RAL 9005 colour (BL),
- powder-coated in Vermilion Red RAL 030 50 40 (VR), Ochre Yellow RAL 1024 (OY), Cashmere NCS S 2005-Y60R (NK), Violet Blue RAL 5000 (VB) or Olive Green RAL 6003 (OG).

UP&DOWN:
- chromium plated (CR).

LGW – made of beech wood, diameter 30 × 43 mm, from top to bottom, respectively.
Swivel chair base:
- Ø 680 five-star base black glass fiber reinforced polyamide (TS18),
- Ø 680 mm five-star aluminium powdercoated in White Aluminium RAL 9006 colour (ST32-ALU),
- Ø 680 mm five-star polished aluminium with chrome effect (ST32-CR).

Stacking:
4L, 4L ARM WOOD – 4 pieces,
4L, 4L ARM A-PLUS; B-PLUS, SEAT PLUS, PLUS – 4 pieces (only with stacking cushion),
CFS ROD A-PLUS; B-PLUS; PLUS;
SEAT PLUS – 4 pieces (only with stacking cushion),
CFS ROD WOOD – 10 pieces.
LGW - non-stackable.
Universal chair cart available.

2.1.2. Click / link

CLICK – Ø 5 mm steel rod integrated with the frame to connect CAFE VII chairs (without armrest only) into rows.
UNIVERSAL ROW CONNECTOR
- dedicated to connect rows of chairs,
- distance adjustment: 460 – 520 mm,
- possibility of mounting to the floor,
- powder-coated in Jet Black RAL 9005 (BL) colour.

2.2. Castors / Glides

CAFE VII 4L, 4L ARM, CFS-ROD, HOCKER, LGW
Glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option. Glides for soft floors, white (GW) as an option
CAFE VII UP&DOWN
Glides with felt for hard floors (GBF) as standard.
CAFE VII 4L, 4L ARM
Glides with replaceable caps for soft floors (GBP).
CAFE VII CFS-ROD
Glides for soft floors, transparent (GT) or with felt for hard floors , transparent (GTF) as an option.
Glides with replaceable caps for connecting chairs into rows for soft floors (GBL), or with felt for hard floors (GBLF), both as an option
CAFE VII GTS / GTP
Ø 50 castors for soft floors (SH) as standard, or hard floors (SHH) as an option.
Ø 65 mm castors for soft floors (ESH), or hard floors (ESHH), both as an option.

2.3. Mechanisms

UP&DOWN version – smooth height adjustment of chair with pneumatic gas lift,
GTS, GTP version – smooth height adjustment of chair with pneumatic gas lift (PST45).

2.4. Seat and backrest

Options for CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE VII CFS ROD, CAFE VII LGW:
Wooden shell (WOOD) – made of 8-layer beech plywood, thickness 10.5 mm
Laminated wooden shell (LAMINATE) – made of 8-layer beech plywood, thickness 10.5 mm. Visible plywood edges protected with wax.
Wooden shell with upholstered pad on seat (SEAT-PLUS) – the structure of seat pad is made of 4-layer beech plywood, thickness 4.5 mm, covered with foam thickness 10 mm, density 35 kg / m^3.
Wooden shell with upholstered seat pad and backrest pad (PLUS) – seat and backrest pad structure made of 4-layer beech plywood, thickness 4.5 mm, covered with foam thickness 10 mm, density 25 kg / m^3. Covered with foam thickness 10 mm, density 35 kg / m^3.
Wooden shell with front part fully upholstered (B-PLUS) – structure of pad made of 4-layer beech plywood, thickness 4.5 mm, covered with foam thickness 25 mm, density 25 kg / m^3. Wooden back part of the shell.
Fully upholstered shell (A-PLUS) – structure made of 8-layer beech plywood, thickness 10.5 mm, covered with foam density 25 kg / m^3,thickness 20 mm (front shell); 10 mm (back part of shell).
Options for CAFE VII HOCKER, CAFE VII UP&DOWN:
Wooden shell (WOOD) – made of 7-layer beech plywood, thickness 9 mm
Laminated wooden shell (LAMINATE) – made of 7-layer beech plywood, thickness 9 mm. Visible plywood edges protected with wax.
Fully upholstered shell (A-PLUS) – structure made of 7-layer beech plywood, thickness 9 mm, covered with foam density 25 kg / m^3, thickness 20 mm (front shell); 10 mm (back part of shell).

2.5. Armrests

Options for CAFE VII ARM:
Fixed armrests – integrated with chair frame, armrests frame made of Ø 18 × 2.5 mm steel tube in the same finish as the chair frame, armrest pads made of 8-layer plywood, thickness 12 mm.
Finish options for armrest pads:
- stained (NF-xx),
- laminated (NF-xx).

CAFE VII ARM – chair can be hung on the table top due to protective distances under the arm to prevent the table top from being scratched.
Options for CAFE VII GTP:
Fixed armrests – integrated with chair frame, armrests frame made of Ø 18 × 2.5 mm steel tube, armrest pads made of 8-layer plywood, thickness 12 mm.
Finish options for armrest frame:
- chromium plated (CR),
- powder-coated in White Aluminium RAL 9006 colour (ALU),
- powder-coated in Jet Black RAL 9005 colour (BL),

Finish options for armrest pads:
- stained (NF-xx),
- laminated (NF-xx).

3. Packaging

4L / 4LARM – 4 pieces per box (assembled),
4L / 4L ARM A PLUS, B PLUS – 2 pieces per box (assembled),
CFS ROD – 4 pieces per box (assembled),
Hocker – 1 piece per box (disassembled),
UP&DOWN – 1 piece per box (assembled),
GTS, GTP – 1 piece per box (disassembled),
LGW – 2 pieces per box (dissassembled)

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

REMODEX test report – 110 kg – norm EN 16139.

SHELL SHAPE		CAFE VII	LANTANA	VERBENA	CAFE IV	CAFE VI	CAFE II
	Model						
Seat	WOOD	●	●	●	●	●	●
	LAMINATE	●	●	●	●	●	●
Upholstered version	PLUS	●				●	
	SEAT PLUS	●	●	●	●	●	●
	A PLUS	●					
	B PLUS	●					

● available versions

Upholstered versions			
PLUS	SEAT PLUS	A PLUS	B PLUS
			